static methods 3-1
static scheduling
SDF **7-1**
statistics, histogram 3-5
stderr 3-3
stdin 3-3
stdout 3-3
string states 2-10
stringarray states 2-10
StringArrayState class 2-22
StringList class 3-9
StringListIter class 3-10
strings 3-9
StringState class 2-22
sub-galaxy *12-23*
substChar, method *12-12*
sub-universe *12-23*
sw alias 1-13
Switch (CGC Block) 13-3
Switch (CGC block) 13-6
symbolic links 1-13
synchronous dataflow **7-1**

T

target, code generation *12-16*
target, multiprocessor *12-18*
targets *1-1*
tbl 2-4
Tcl/Tk 1-1
TclScript (DE block) *5-12*
TclScript star *5-1*
TclStarIfc class 5-12
tempFileName function 3-8
TextTable class 3-13
TextTableIter class 3-13
Thor domain 2-7
time stamp 11-1
Tk 3-4
tkMain.c 13-6
tkSetup CGCTclTkTarget 13-6
TkShowValues 5-2
triggers method 11-5, 11-7
troff 2-3
truncation
Fix class 4-4
two's complement 4-4
type conversion 2-22
Message class 4-16
type, CG56/CG96 state 14-1
TYPE_CHECK macro 4-17
typeCheck method
Envelope class 4-17
typeError method
Envelope class 4-17
types 2-11
tysh **1-5**

U

underflow
Fix class 4-4
Uniform class 3-18
uniformly distributed random number 3-18
uninitialized Fix object 4-6
user-defined messages 4-15

V

value method
HashEntry class 3-13
vector message 4-15
vem 1-1
version ptlang directive 2-6, **2-8**
video processing 4-39
virtual method ptlang directive 2-12

W

waitFor method
DDFStar class **8-2**
White, K. 12-1, 13-1, 14-1
Williamson, M. 15-1
World Wide Web 5-1
wrapup (Star method) 13-2
wrapup method *3-15*
wrapup ptlang directive 2-6, **2-14**
writableCopy method
Envelope class 4-17
writeCode, method *12-18*

X

X window system 3-3
XGraph class 3-3
XHistogram class 3-5

Y

yacc 2-4

PT_DEBUG environment variable....1-25
pt_ifstream class....3-2, 3-3
pt_ofstream class....3-2, 3-3
PTARCH environment variable....1-2
ptbin.mk....**1-6**
ptcl....*1-1*, **1-5**, 2-25, 3-4
ptkControlPanel....5-2, *5-6*
ptl alias....1-13
ptlang....2-3
PTOLEMY environment variable....1-2
ptolemy user....1-2
public ptlang directive....2-6, **2-15**
pure method ptlang directive....2-12
Pure Sofware Inc.....1-19
pure virtual method ptlang directive....2-12
Purecov....1-19
pure-delay star in DE....11-2
Purify....1-19
put method....11-5, 11-6
pxgraph program....3-3, 3-6

Q

Quantify....1-19
quantization
  Fix class....4-4
Queue class....3-11
queueing....11-1
queueing networks....11-1

R

Ramp (SDF block)....*2-27*
random numbers....3-17
receive star....*12-23*
receiveData method....8-2
Rect (SDF block)....2-4
reference count....4-14, 4-17, 4-30
refireAtTime method....*11-8*, 11-9
rml alias....1-13
rounding
  Fix class....4-4
RPC Error....1-21
runCode, method....*12-18*

S

saturation
  Fix class....4-4
savestring function....3-8
sccs....1-18
schedulers
  static....**7-1**
schedulers, CG domain....*12-20*
SDF
  domain....**7-1**
  porthole parameters....7-1
  writing stars....**7-1**, **11-1**
SDF (synchronous dataflow)....**7-1**
SDFFix class....4-9
seed of a random number....3-17
segmentation fault....1-20
self-scheduling star....11-8
send star....*12-23*
Send/Receive stars....**12-23**
send/receive stars....*12-23*
sendData method....8-2, 11-5
sequencing directives in DE....11-6
SequentialList....*3-15*
SequentialList class....3-11
Server (DE block)....11-1
server stars in DE....11-3
setAttibutes method....2-26
setAttributes method....2-27
setBDFParams (BDFPortHole method)....13-6
setBDFParams method
  BDFPortHole class....9-1
setInitValue method....2-26
setOutputs_$starID....5-4, *5-5*
setSDFParams method....2-12, 2-19, **7-1**
setstate command....2-22
setup method....7-1
setup ptlang directive....2-6, **2-14**
shared data structures....3-14
sign bit....4-4
signal generators in DE....11-8
simple mode in DE....11-10
SIMPLE, de....11-10
simultaneous events (DE domain)....11-6
sol2.cfront....1-2
source code....1-1
source code control....1-18
source stars in DE....11-8
Spread CGC....**12-15**
spread star....*12-24*
Spread, star....*12-15*
spread/collect stars....*12-24*
srcdir alias....1-2
Sriram, S.....14-1
stack....1-21
Stack class....3-11
standalone programs....1-19
star, defining a new star....2-1
stars.mk....**1-6**, 1-10
state....2-9
state ptlang directive....2-6, **2-9**, 2-12, 2-22
states
  hiding from the user....2-26
static buffering....*12-16*
static members....3-15

inverse() function 4-27
isA() function 4-29
Lapack++ 4-33
MatrixEnvParticle 4-22
multiply() function 4-29
outputting to a PortHole 4-31
print() function 4-29
star input and output 4-30
transpose() function 4-27
writing Stars that use the Matrix class 4-29
Matrix.h include file 4-30
Message class 4-14, 4-39
message data type 2-11
message programming example 4-19
message type
portholes 2-11
MessageParticle class 2-22, 4-15, 4-18
method ptlang directive 2-6, 2-12, **2-16**
mkl alias 1-13
mkPtolemyTree **1-9**
MultiInSDFPort class 2-20
MultiOutSDFPort class 2-20
multiple portholes 2-20
multiple-processor schedulers *12-21*
MultiPortHole class 2-20
multiprocessor target *12-18*
MultiTarget, class *12-18*
Murthy, P. K. 12-1
MVImage class 4-40
myData method
Envelope class 4-17

N

name ptlang directive **2-5**, 2-6
NegativeExpntl class 3-17
non-determinism 11-12
non-deterministic loop 11-8
num ptlang directive **8-2**
numberPorts method 2-21
numSimulEvents method 11-5, 11-8
numTokens ptlang directive 7-2
numtokens ptlang directive 2-11, **2-11**

O

obj.$PTARCH directories 1-4
objdir alias 1-2
Octtools **1-5**
ofstream class 3-2, 3-3
operator, referencing an entry 4-23, 4-37
OutDEPort class 11-5
outmulti ptlang directive 2-6, **2-11**, 2-12, 2-20
output 3-2, 3-3
output ptlang directive 2-6, **2-11**, 2-12, 2-19
OutSDFPort class 2-18, 2-20
overflow
Fix class 4-4
override.mk 1-7, **1-9**, 1-11

P

parallel directory tree
csh aliases 1-12
mkPtolemyTree 1-9
parallel schedulers *12-21*
parameter 2-9
parameters
complex 2-10
Parks, T. M. 1-1, 10-1, 11-1, 12-1, 13-1, 15-1
Particle class 2-18, 2-22, 4-15
particle types 2-22
pathSearch function 3-8
phase mode in DE 11-11
PHASE, de 11-11
phase-based firing mode in DE 11-11
pigi 3-4
pigiExample directory 1-7
pigiRpc **1-5**, 1-21
pigiRpc, custom version 1-6
pigiRpc.debug 1-22
Pino, J. L. 1-1, 6-1, 12-1, 13-1, 14-1
plotting data 3-3
Pointer type 3-11
Poisson (DE block) *3-17*, *11-8*
Poisson process 11-9
polymorphism 2-29
PortHole class 2-18
porthole SDF parameters 7-1
porthole, dynamic **8-1**
ports, hiding from the user 2-26
pragma 2-22, 13-4
precision parameter 4-4
precision state 2-10
precision type
states 2-10
preprocessor **2-1**
print method 2-22
Message class 4-16, 4-31
Printer (SDF block) *2-28*
PRINTER environment variable 2-4
printing star documentation 2-4
printpage command 2-4
private ptlang directive 2-6, **2-15**
processMacro, method *12-12*
profile command 2-7
progNotFound function 3-8
protected ptlang directive 2-6, **2-15**
pt alias 1-13

initCode, method *12-2*
initial value for states 2-26
initialized Fix objects 4-6
initializing states from files 2-24
inline method ptlang directive 2-12
inline virtual method ptlang directive 2-12
inmulti ptang directive 2-20
inmulti ptlang directive 2-6, **2-11**, 2-12
inout ptlang directive 2-6, **2-11**, 2-12
inoutmulti ptlang directive 2-6, **2-11**, 2-12
input 3-2, 3-3
input ptlang directive 2-6, **2-11**, 2-12, 2-18
InSDFPort class 2-18, 2-20
installColors 4-40
int type
  portholes 2-11
  states 2-10
INT_MATRIX_ENV 4-30
int_matrix_env type
  portholes 2-11
intarray type
  states 2-10
IntArrayState class 2-22
IntMatrix, see Matrix class
IntParticle class 2-22
IntState class 2-22
isA method
  Message class 4-16
ISA_FUNC macro 4-16
ISA_INLINE macro 4-16
iterator classes 3-10
iterators 3-10, 3-13

K

Kalavade, A. 4-1
key method
  HashEntry class 3-13
Khazeni, A. 4-1

L

label
  codeblockSymbol *12-10*
last-in, first-out (LIFO) queue 3-11
LastOfN (DDF block) 8-1
Lee, E. A. 1-1, 2-1, 3-1, 4-1, 7-1, 11-1, 12-1, 13-1
libraries of stars 2-1
Lim, Y. K. 13-1
Lippman, S. 2-17
ListIter class 3-11
loadCode, method *12-18*
load-star command 2-3
load-star-perm command 2-3
location ptlang directive 2-6, **2-9**
look-inside command 2-1

M

macro
  $addr(name,offset) **12-11**
  $ref (assembly) 12-12
  label *12-10*
  ref *12-8*
  sharedSymbol *12-9*
  starName *12-8*
macro, $$ *12-12*
macro, codeblockSymbol *12-10*
macros, CG stars *12-8*
mainDecls (CGCTarget member) 13-1
mainLoopCode, method *12-18*
make 1-4, 2-1
make.template 1-7
makefiles 1-4
make-star command 2-1
Matrix class **4-21**–**4-33**
  - operator 4-28
  - operator, unary negation operator 4-27
  ! operator, inverse operator 4-27
  != operator 4-25
  * operator 4-28
  *= operator 4-26
  + operator 4-28
  += operator 4-26
  /= operator 4-26
  -= operator 4-26
  = operator, assignment operator 4-26
  == operator 4-25
  ^ operator 4-27
  ~ operator, transpose operator 4-27
  clone() function 4-29
  ComplexMatrix 4-22
  conjugate() function for ComplexMatrix 4-27
  constructors 4-23
  conversion operators 4-25
  dataType() function 4-29
  entry() function 4-22, 4-37
  FixMatrix 4-22
  FixMatrix, special constructors 4-24, 4-25
  FloatMatrix 4-22
  hermitian() function for ComplexMatrix 4-27
  including Matrix.h into a Star 4-30
  indentity() function 4-27
  IntMatrix 4-22

conversion operators 4-13
dbz() 4-12
intb() 4-10
invalid() 4-11
is_zero() 4-11
len() 4-10
max() 4-11
maximum length 4-4
min() 4-11
overflow() 4-10
ovf_occurred 4-11
precision() 4-10
roundMode() 4-11
set_overflow 4-11
set_rounding 4-11
setToZero() 4-11
signBit() 4-11
uninitialized 4-6
value() 4-11
fix type
portholes 2-11
states 2-10
FIX_MATRIX_ENV 4-30
fix_matrix_env type
portholes 2-11
FIX_MAX_LENGTH **4-4**
Fixed-point
inputs and outputs 4-5
fixed-point 4-3
array parameters *4-4*
parameters *4-4*
precision 2-10
setting precision 2-10
states 4-4
Fixed-point data type ....??–**4-14**
FixMatrix, see Matrix class
FixParticle class 2-22
float type
portholes 2-11
states 2-10
FLOAT_MATRIX_ENV 4-30
float_matrix_env type
portholes 2-11
floatarray type
states 2-10
FloatArrayState class 2-22, 2-23
FloatMatrix, see Matrix class
FloatParticle class 2-22
FloatState class 2-22
Fork
code generation **12-14**
Fork (SDF block) 2-20
frameCode, method *12-18*
fread of long failed 1-21
Free Software Foundation 1-1
functional star in DE 11-1

G

g++ 2-23
g++ compiler 1-1
Gain (SDF block) *2-28*
gdb 1-21, 1-25
generateCode, method *12-18*
generic pointer technique 3-11
get method 11-5, 11-6, 11-11
getMessage method
MessageParticle class 4-18
getSimulEvent method 11-5, 11-7, 11-10
globalDecls (CGCTarget method) 13-2
Gnu tools 1-21
go method 2-3
go ptlang directive 2-6, **2-14**
grabInputs_$starID 5-4, *5-5*
GrayImage class 4-40

H

Ha, S. 2-1, 3-1, 7-1, 8-1, 11-1, 12-1, 13-1
hash table 3-8
hash tables 3-13
HashEntry class 3-13
hashing function 3-13
hashstring function 3-8
HashTable class 3-13, *3-15*
HashTableIter class 3-13
Haskell, P. 4-1, 4-39
header ptlang directive 2-6, **2-16**
heterogeneous message interface 4-14
HIER Scheduler 12-22
hinclude ptlang directive 2-6, **2-15**
Histogram class 3-5
hppa.cfront 1-2
HU Scheduler 12-21
Hylands, C. 1-1, 15-1

I

I/O 3-2, 3-3
ifstream class 3-2, 3-3
image processing 4-39
include (CGCTarget) 13-1
include files 3-1
InDEPort class 11-5
InfString class 3-9
initCode (CGCStar method) 13-6

core files 1-21
cout 2-29, 3-3
creating a new star 2-1
CUSTOM_DIRS 1-10

D

data types 2-11
    user-defined 4-14
dataNew flag 11-5, 11-11
dataNew flag in DE 11-4
dataType method
    Envelope class 4-17
DC Scheduler 12-22
DCTImage class 4-40
DDF star **8-1**
DDFStar class **8-2**
DE
    writing stars 11-1
DE domain 11-1
debugging 1-20, 1-22
default parameter values 2-10
default value for states 2-10
delay
    DE domain 11-1
    delay stars in DE domain 11-1
    for matrix arcs 4-31
    in dataflow 4-31
    in DE 11-8
Delay (DE block) 11-1
delayType member of DEStar class 11-1
DEPortHole class 11-5
DERepeatStar class 11-8, 11-9
derived ptlang directive 2-6
derivedfrom ptlang directive 2-6, **2-7**
desc ptlang directive 2-6
descriptor 2-10
descriptor ptlang directive 2-6, **2-7**
DEStar class 11-2, 11-8
    arrivalTime member 11-2
    completionTime member 11-2
    delayType member 11-1
destructor ptlang directive 2-6, **2-13**
determinism 11-12
discrete event (DE) domain 11-1
ditroff program 2-4
divide by zero
    Fix class 4-4
DL Scheculer 12-21
domain
    SDF **7-1**
domain ptlang directive **2-5**, 2-6
DownCounter (DDF star) 8-2
dummy message 4-17, 4-18, 4-31
duplicate directory tree 1-13
dynamic linking 2-1, 3-1
    permanent 2-3
dynamic porthole **8-1**
DynDFStar class **8-2**

E

edit-params command 2-22, 2-27
emacs 1-25
empty method
    Envelope class 4-17
Envelope class 4-14, 4-17
environment variables
    PRINTER 2-4
    PT_DEBUG 1-25
    PTARCH 1-2
    PTOLEMY 1-2
eqn 2-4
Error class 3-1
Evans, B. *4-1*, 10-1
event 11-1
event generator 11-8
exectime ptlang directive 2-6
execTime, method *12-2*
exp alias 1-13
expandPathName 3-3
expandPathName function 3-8
explanation ptlang directive 2-6, **2-9**
exponentially distributed random number 3-17
external programs
    invoking 3-8

F

FFTCx (SDF block) *7-1*
file input to states 2-24
first-in, first-out (FIFO) queue 3-11
Fix class ....4-3, ??–**4-14**
    - operator 4-12
    * operator 4-12
    *= operator 4-12
    + operator 4-12
    += operator 4-12
    / operator 4-12
    /= operator 4-12
    -= operator 4-12
    = operator 4-12
    clear_errors() 4-12
    compare() 4-11
    complement() 4-13
    constructors 4-9

Buck, J. T.2-1, 3-1, 4-1, 7-1, 9-1, 12-1, 13-1, 14-1
Buck, J.T 13-1
bufPos, method **12-12**
bufSize, method **12-12**

C

C++ Primer 2-17
callTcl_$starID 5-4, *5-5*
canGetFired method *11-8*, 11-9, 11-10
ccinclude ptlang directive 2-6, **2-15**
cerr 3-3
Cfront C++ compiler 1-2
CG, domain *12-1*
CGCPCM *12-9*
CGCPortHole class 13-6
CGCStar class 13-1
CGCTarget class 13-2
CGDDF Scheduler 12-22
CGMultiTarget, class *12-18*, *12-19*
CGPortHole class 13-3
CGSharedBus, class *12-19*
CGStar, class *12-3*
CGTarget 13-2
Chang, W.-T. 15-1
Chen, M. 15-1
Chen, M. J. 4-1
cin 3-3
circAccessThisTime, method **12-12**
clearAttributes method 2-26, 2-27
clog 3-3
clone method
  Message class 4-16, 4-18
Closing Application error message 1-21
code ptlang directive 2-6, **2-15**
code stream
  aioCmds **14-2**
  shellCmds **14-2**
  simulatorCmds **14-2**
code streams *12-16*
Codeblock *12-3*
codeblock ptlang directive 2-6
codeGenInit, method *12-18*
CodeStream, class *12-16*
Collect CGC **12-15**
collect star *12-24*
Collect, star *12-15*
colors 5-12
CommPair 12-26
communication networks 4-14, 11-1
compileCode, method *12-18*
compile-time scheduling 2-14
completionTime member of DEStar class 11-2
Complex class 2-22, 2-23, **4-2**–**4-3**
  - operator 4-2
  != operator 4-3
  * operator 4-2
  *= operator 4-2
  + operator 4-2
  += operator 4-2
  / operator 4-3
  /= operator 4-2
  -= operator 4-2
  = operator 4-2
  == operator 4-3
  abs() function 4-3
  arg() function 4-3
  basic operators 4-2
  conj() function 4-3
  constructors 4-2
  cos() function 4-3
  exp() function 4-3
  imag() function 4-2, 4-3
  log() function 4-3
  norm() function 4-3
  pow() function 4-3
  real() function 4-2, 4-3
  sin() function 4-3
  sqrt() function 4-3
Complex data type **4-1**–**4-3**
complex data type 2-11
complex state 2-10
complex type
  portholes 2-11
  states 2-10
COMPLEX_MATRIX_ENV 4-30
complex_matrix_env type
  portholes 2-11
complexarray type
  states 2-10
ComplexArrayState class 2-22
ComplexMatrix, see Matrix class
ComplexParticle class 2-22
ComplexState class 2-22, 2-23
computer architecture modeling 11-1
conscalls ptlang directive 2-6, **2-13**
constructor ptlang directive 2-6, **2-13**
constructors 2-13
copy constructor
  Message class 4-16
copyright ptlang directive 2-6, **2-8**
core dump 1-20
core dumped 1-21

INDEX

Symbols

.....2-24
$PTARCH 1-2
$PTOLEMY 1-3
% operator 2-19, 11-5
.alias file 1-2, 1-13
.cc files.....2-3
.cshrc file 1-2, 2-4
.h files 2-3
.pl file.....7-1
.pl files 2-1
.t files 2-3
= operator.....2-19
~ptolemy.....1-3

A

A 2-11
A_CONSTANT attribute.....2-11
A_NONCONSTANT attribute 2-11, 2-22
A_NONSETTABLE attribute 2-11
A_SETTABLE attribute.....2-11, 2-22
AB_CIRC attribute.....**12-13**
AB_CONSEC attribute **12-13**
accessMessage method
    MessageParticle class.....4-18
ACG class.....3-17
acknowledge ptlang directive 2-6, **2-8**
Add (SDF block) *2-21*
addCode (CGStar method) 13-2, 13-6
addCompileOption (CGCTarget method) 13-2
addDeclaration (CGCStar method) 13-2
AddFix (SDF block).....*4-5*
addGlobal (CGCStar method) 13-2
addInclude (CGCStar method).....13-2
addLinkOption (CGCTarget method) 13-2
aggressive reclamation 4-18
aliases
    exp 1-13
    mkl.....1-13
    objdir 1-2
    pt.....1-13
    ptl.....1-13
    rml 1-13
    srcdir.....1-2
    sw 1-13
aliases for developers 1-13
allocateMemory, method.....*12-18*
anytype portholes.....2-11
application exited error message 1-21
ArrayState class.....2-23
arrivalTime member of DEStar class 11-2
ArrivingPrecision parameter 4-7
asComplex method
    Message class.....4-18
asFloat method
    Message class.....4-18
asInt method
    Message class.....4-18
AsmPortHole, class 12-12
attribute.....2-10, 2-11, 2-22
    A_CIRC **12-13**
    A_CONSEC **12-13**
    A_CONSTANT **12-13**
    A_GLOBAL.....**12-12**
    A_LOCAL 12-12
    A_MEMORY.....**12-13**
    A_NOINIT.....**12-13**
    A_NONCONSTANT.....**12-13**
    A_NONSETTABLE **12-13**
    A_PRIVATE.....**12-12**
    A_RAM.....**12-14**
    A_SETTABLE.....**12-13**, 12-13
    A_SHARED.....**12-12**
    A_XMEM **14-1**
    A_YMEM **14-1**
    P_CIRC **12-14**
    P_NOINIT.....**12-14**
    P_SHARED **12-14**
    P_SYMMETRIC.....**12-14**
    P_XMEM **14-1**
    P_YMEM **14-1**
attribute, A_XMEM **14-1**
attribute, A_YMEM **14-1**
Attributes.....*12-12*
author ptlang directive.....2-6, **2-8**

B

bad format parameters
    Fix class.....4-4
BarGraph class 3-4
baseAddr, method.....**12-12**
BaseImage class 4-39
BDFPortHole class.....9-1, 13-6
before method.....11-5, 11-7
begin method
    DERepeatStar class.....11-9
begin ptlang directive 2-6, **2-14**
Bhave, S. 13-1
binary point 4-4