xrdb 2-52
Xscope (SDF block) **5-10**
xwd 2-41
XYgraph (SDF block) **5-10**
xyplot (CGC demo) **12-21**
xyplot (DE demo) 10-29
xyplot (SDF demo) 5-59

Y

Yu, C. 1-9
YUVToRGB (SDF block) **5-44**

Z

Zhang, H. 1-9, 10-2
ZigZagImage (SDF block) **5-45**
ZigZagImageInv (SDF block) **5-45**
Zimmerman, K. 1-9
zoom-in command 2-11, **2-27**
zoom-in, VEM 16-11
zoom-out command 2-11, **2-27**
zoom-out, VEM 16-11

VHDLF **E-7**
domain 4-9
star 4-9
VHDLF domain 14-1
VHDLF star 14-1
VHSIC Hardware Description Language (VHDL) 4-6
vi 2-50
video coding 4-3, 4-5, 5-44
video display 5-42
video processing demos, SDF **5-55**
videodpy (SDF block) **5-43**
videosrc (SDF block) **5-43**
VirtClock (DE block) 10-19
virtual clock algorithm 10-19
virtual clock buffer service discipline 10-26
visual programming 6-2
voiced speech 5-80
vox (SDF demo) **5-54**
VQCoder (SDF block) **5-31**
VR troff macro **15-5**

W

waitNum, DDF method 7-6
waitPort 7-1
waitPort, DDF method 7-6
walking menu 2-4, 2-9, 2-10
Walter, G. S. 1-10, 5-1, 10-1
Warner, P. 1-9
WasteCycles (CG56 block) **13-11**
Waterfall (SDF block) **5-10**
waterfall plot 5-54
WaveForm (CG56 block) **13-2**
WaveForm (CGC block) **12-5**, 14-8
WaveForm (DE block) 10-9
WaveForm (SDF block) **5-7**, *5-78*
WaveFormCx (SDF block) **5-8**
wavelet decomposition 5-49
wfir program C-4
where command 2-11
where, VEM 16-11
where_defined parameter 6-2
white noise 5-6, 5-37, 5-52, 13-3
White, K. 1-9, 1-10, 3-22, 5-65, 11-1, 12-1, 13-1, A-1
whitening filters 5-76
Wiener filtering 5-76
wildColors (HOF demo) **6-18**, **6-20**
wildColorsCGC (HOF demo) **6-21**
Williamson, M. 1-10, 14-1
Williamson, M. C. 4-1
Window (CG56 block) **13-13**
Window (SDF block) **5-7**, **5-34**, *5-73*
window (SDF demo) **5-54**
window FIR command 2-7
window manager crashes A-23
window method for FIR filter design C-1
Window System Problems A-21
window-options command 2-11
window-options, VEM 16-11
wireless (DE demo) 10-26
wireless networks 4-5
Wolfram Research Inc. 1-12
Wong, A. 1-9, 1-10
worm (DE demo) 10-28
Wormhole **2-4**
in pigi 2-53
in ptcl 3-9
wormhole 7-11, 10-4, **E-7**
DDF 7-7, **7-12**
forcing outputs in DE 10-16
wormholes in the interpreter 3-17
wrapup command 3-5, 3-10, 3-19
Wright-Patterson AFB 1-11
WriteFile (CG56 block) 13-3
WriteVar (SDF block) **5-11**
write-window, VEM 16-11
writing new documentation **15-5**

X

X resources 2-42, 2-52, 15-3, 16-2, B-4
X window dumps 2-51
X window resources 2-52, A-21
X window system 2-2, B-1
X11 include files A-28
X11R4 ..... B-1
xedit program 2-50
xgrabsc program 2-41
Xgraph 1-12
Xgraph (CG56 CGC/S-56X block) **13-6**
Xgraph (CG56 Simulator Block) **13-3**
xgraph program 2-9, **17-1**
Xhistogram (DE block) 10-10
Xhistogram (SDF block) **5-10**, *5-48*
Xilinx 1-12
Xlib.h A-28
XMgraph (DE block) 10-10
XMGraph (SDF block) *5-65*
XMgraph (SDF block) 3-19, **5-9**, *5-68*
xmit2fsk (SDF block) **5-35**
xmit2pam (SDF block) **5-36**
xmit2psk (SDF block) **5-36**
xmit2rec (SDF demo) **5-51**
xmit4pam (SDF block) **5-36**
xmit4rec (SDF demo) **5-51**
xmitber (SDF demo) **5-51**
xmitspread(SDF block) **5-36**
Xor (CG56 block) **13-9**
xor (CGC galaxy) **12-9**
xpr 2-41

TkText (SDF block) **5-11**, *5-59*
TkXYPlot (CGC block) 12-7
TkXYPlot (DE block) 10-11
TkXYPlot (SDF block) **5-10**
Toeplitz matrices 5-24, 5-33
Toeplitz_M (SDF block) **5-24**
toggle-grid command 2-11
toggle-grid, VEM 16-11
token 5-1, **E-7**
Tone (CG56 block) **13-3**
ToneStrength (CGC block) **12-12**
ToneStrength (SDF block) **5-38**
topblocks command 3-5
Trainer (SDF block) **5-18**
transfer functions 5-68
transform command 2-11, 2-44
transform, VEM 16-16
transmitter (CG56 simulator demo) **13-15**
transportation networks 4-5
Transpose (SDF block) **5-17**
Transpose_M (SDF block) **5-25**
tremolo (CGC demo) 12-20
troff 15-1
troff program 15-1
True (BDF block) 8-3
Tsu, W. 14-1
tune (CG56 simulator demo) **13-15**
twm window manager A-23
two's complement 5-71
two-dimensional FFT 6-10
Tycho command 2-7
type conversion 2-20, 5-75
types 2-20

U

UDCounter (DE block) 10-22, *10-25*
unbiased autocorrelation estimates 5-81
undecidable 7-3
undo command 2-11, 2-28
uniform distribution 10-9
uniform white noise 5-6, 13-3
unit step function 5-69
United States Air Force 1-2, 1-10
Universe **2-4**
universe **2-5**, **E-7**
universe (CGC demo) 12-21
universe parameters 2-33
universes
  creating and deleting 3-2
  documenting **15-7**
University of Colorado 4-7
univlist command 3-2, 3-5, 3-19
unixMulti_C CGC target 12-3
UnPacketize (DE block) 10-13
UnPk_M (SDF block) **5-24**
unresolvable type conflict 5-75
unselect-objects command 2-11, 2-28
unselect-objects, VEM 16-16
unstable fitlers 5-53
untimed domains 4-2
unvoiced speech 5-80
Unwrap (SDF block) **5-33**, *5-70*, *5-76*
upDownCount (DE demo) 10-25
UpSample (CG56 block) **13-10**
UpSample (CGC block) 12-9
upsample (CGC demo) 12-16
UpSample (SDF block) 5-2, **5-19**, *5-68*
upSample (SDF demo) **5-50**
USE_GROFF 15-10
useless (CG demo) **11-16**
useOldScheduler 7-8
user iteration 7-4
user.pal palette 2-30
Utah Raster Toolkit (URT) 5-42

V

VarDelay (CG56 block) **13-11**
varDelay (CG56 simulator demo) **13-15**
VarDelay (DE block) 10-14
variance of a random process 10-24
VarQuasar (CG56 block) **13-9**
VarServer (DE block) 10-15
VClock (DE demo) 10-26
vector processing in the SDF domain 5-2
Vector Quantization 5-57
vem 1-12, 2-4, **2-4**, **2-22**, 16-1, **E-7**
  arguments 16-3
  command arguments 2-25
  command line options 16-2
  making a box 2-25
  making a line 2-25
  menu 2-9, 2-11, 2-36
  placing a point 2-25
  selecting objects 2-25
  text arguments 2-25
vem menu 16-3
Verilog 4-7
version command 2-7
version, VEM 16-11
VHDL 1-6, **E-7**
  codefile 4-7
  domain 4-6, 4-7, 4-9
  star 4-7
VHDL (VHSIC Hardware Description Language) 4-6, 4-9, 14-1
VHDL domain 14-1
VHDLB **E-7**
  domain 4-6, 4-7, 4-9, 14-1

Synth-VHDL target 4-7, 14-1
system palette 2-31
T
Table (CG56 block) **13-9**
Table (CGC block) 12-8
Table (SDF block) **5-16**
Table_M (SDF block) **5-25**
TableCx (SDF block) **5-16**
TableInt (SDF block) **5-16**
Tahiti A-23
Target 4-2, 4-6, 14-1, **E-6**
target **E-6**
target command 3-5, 3-12
target parameters 3-12
target, code generation *11-1*
targetparam command 3-5, 3-12
targets 3-12
  default-DDF 7-8
targets command 3-5, 3-12
tbl program 15-1
tbus (SDF demo) **5-49**
Tcl 1-3, 1-10, 1-12, **2-4**, 2-18, 3-1, **E-6**
  as a scripting language 3-19
Tcl stars, SDF **5-46**
Tcl/Tk 5-10
TclScript (CGC block) **12-5**, 12-7, **12-8**
TclScript (DE block) **10-8**, **10-10**, 10-22
TclScript (SDF block) **5-7**, **5-10**, **5-16**
tclScript (SDF demo) 5-59
TclTk Target target 12-3
TclTk_Target target 12-20
telephone channel simulation 5-37, 5-39
TelephoneChannel (SDF block) **5-39**
telephoneChannel (SDF block) **5-37**
telephoneChannelTest (SDF demo) **5-52**
terminals
  moving 2-38
  names 2-44
  reorienting 2-38
Test (DE block) 10-17, *10-23*
Test (SDF block) **5-16**, *5-47*
TestLevel (DE block) 10-18
TestMultirate (CG block) **11-14**
testPacket (DE demo) 10-24
testPostTest (CG56 demo) *13-14*
testServers (DE demo) 10-26
TeX 2-41, 15-1
Texas Instruments 1-12
text 16-3
text editor 2-50
text widget 2-13
The Math Works, Inc. 5-25
Thege, K. 1-9
ThermalNoise (SDF block) **5-41**
third 5-37, 5-39
third harmonic distortion 5-37, 5-39
Thor domain 1-6, **4-7**, **E-6**
Thresh (CGC Block) 12-9
threshold 7-12
threshtest (DDF demo) 7-12
Through (CG block) **11-14**
TI troff macro **15-6**
tightly interdependent subgraphs 5-62
time
  DE domain 10-4
  simulated 10-2
time stamp 10-1, **E-7**
timed domain 10-6, **E-7**
timed domains 4-2
Timeout (DE block) 10-16, *10-24*
timeout (DE demo) 10-24
TimeoutStar (DE block) 10-17
Timer (DE block) 10-17, *10-24*
TimeStamp (DE star) 10-16
timeVarSpec (SDF demo) **5-54**
timing (DDF demo) 7-12
timing (SDF demo) 8-3
timing recovery 4-4, 7-12
Tk 1-12, **2-4**, 3-14, **E-7**
Tk options 2-52
TkBarGraph (CGC block) 12-7
TkBarGraph (DE block) 10-10
TkBarGraph (SDF block) **5-10**
TkBreakPt (SDF block) **5-11**, **5-17**
TkButtons (DE block) **10-8**
TkButtons (SDF block) **5-7**
TkCheckButton (CGC block) **12-6**
TkEntry (CGC block) **12-6**
TkImpulse (CGC block) **12-6**
TkMeter (DE star) 10-10
TkMeter (SDF block) **5-10**, *5-59*
tkMeter (SDF demo) 5-59
TkPlot (CGC block) 12-7
TkPlot (DE block) 10-10
TkPlot (SDF block) **5-10**
TkRadioButton (CGC block) **12-6**
TkShowEvents (DE block) 10-11
TkShowValues (DE block) 10-11
TkShowValues (SDF block) **5-10**, *5-59*
tkShowValues (SDF demo) 5-59
TkSlider (CGC Block) **12-5**
TkSlider (DE star) 10-8
TkSlider (SDF block) **5-7**
TkStripChart (DE block) 10-11
TkSunSound (CGC Block) 12-20
TkSunSound (CGC block) **12-7**
TkText (DE star) 10-11

autocorrelation method 5-32
spectral line splitting 5-80
spectrum plot 2-43
Spectrum Signal Processing 1-12
speech (SDF demo) **5-54**
speech coding 4-3
speech samples 5-78
speechcode (DE demo) 10-27
Spickelmier, R. 1-10, 2-1, 16-1
Spread (CGC block) 12-10, 12-17
spread (CGC demo) 12-17
Spread (SDF block) **5-35**
Sproc domain 4-8
Sqr (CG56 block) **13-9**
Sqrt (CG56 block) **13-8**
Sqrt (CGC block) 12-8
Sqrt (SDF block) **5-15**
square (HOF demo) **6-19**, **6-20**
square-root raised cosine pulses 5-51
Sr troff macro **15-7**
SRC 1-10
Src (HOF block) **6-17**
Src_M (HOF block) **6-17**
SrcCx (HOF block) **6-17**
SrcCx_M (HOF block) **6-17**
SrcFix_M (HOF block) **6-17**
SrcGr (HOF block) **6-17**
SrcGr_M (HOF block) **6-18**
SrcGrCx (HOF block) **6-17**, **6-18**
SrcGrCx_M (HOF block) **6-18**
SrcGrFix_M (HOF block) **6-18**
SrcGrInt (HOF block) **6-17**
SrcInt (HOF block) **6-17**
Sriram, S. 1-9
SSI (CG56 S-56X block) **13-5**
SSISkew (CG56 S-56X block) **13-5**
Stack (DE block) 10-15, *10-25*, *10-26*
Stanford University 4-7
Star **2-4**, **E-6**
star **E-6**
star command 3-4, 3-5
Star Semiconductor 1-11, 4-8
stars, documenting **15-7**
starting pigi, the GUI 2-2, 2-51
State **2-14**, **E-6**
state 3-6, **E-6**
intial value 2-15
vs. parameter 2-15
State of California MICRO Program 1-10
statevalue command 3-5
static scheduling, SDF **5-1**
statically evaluated recursion 6-11, 6-18
staticBuffering parameter 12-1, 14-2
Statistics (DE block) 10-22, *10-24*
statistics (DE demo) 10-24
steep Blackman window 5-54, *5-74*
SteepBlackman **5-7**
steering 6-20
steering (SDF block) **5-41**
steering vector 6-20
Stewart, M. 1-9
stop time 10-2, **E-6**
stoptime command 3-5
StopTimer (DE block) 10-16, 10-24
streams 6-2
string array parameter 2-19
string parameter 2-17, 2-19
stringColor **2-38**
stripChart (DE demo) 10-29
struct-VHDL target 4-7, 14-1
stty tostop A-18
Sub (CG56 block) **13-6**
Sub (CGC block) 12-8
Sub (SDF block) **5-12**
Sub_M (SDF block) **5-25**
SubAntenna (SDF block) **5-41**
SubCx (CG56 block) **13-6**
subdomain **4-4**
SubInt (CG56 block) **13-6**
SubMx_M (SDF block) **5-25**
Sun lightweight process library 4-7
SunSound (CGC Block) **12-7**
SVD_M 5-33
SVD_M (SDF block) **5-24**, **5-33**
SVD_MUSIC_1 (SDF block) **5-60**
SVD_MUSIC_2 (SDF block) **5-60**
Switch (BDF block) 8-3
Switch (CG block) **11-14**
Switch (CGC block) 12-13
Switch (DE block) *10-24*
switch (DE demo) 10-24
Switch4x4 (DE block) 10-19
SwitchDelay (CG56 block) **13-5**
SwitchDelay (CG56 CGC/S-56X block) **13-6**
switch-facet, VEM 16-10
symbolic debugger 2-51
symbolic debugging 2-50
symbolic mode 16-1
Synchronize (DE block) 10-17, *10-24*
synchronized mode, DE 10-6
synchronous dataflow 1-6, **5-1**, 12-1, **E-6**
synchronous signal processing systems **4-3**, 5-1
Synopsys 1-12
Synopsys Design Analyzer 4-7, 14-1
Synopsys VSS VHDL simulator 4-6, 14-1, 14-4, 14-5
synth (CGC demo) 12-19
synth (CGC S-56X demo) **13-17**
synthFFT (CGC S-56X demo) **13-17**

SDFinDDF (DDF demo) 7-11
Se troff macro **15-7**, *15-9*
second harmonic distortion 5-37, 5-39
seed command 3-5, 3-13
seed for random numbers 2-7
Select (BDF block) 8-3
Select (CGC block) 12-13
Select (DDF star) 7-6
selection, VEM 16-15
select-major-net, VEM 16-20
select-net command 2-11
select-objects command 2-11, 2-28, 16-15
select-terms, VEM 16-15
Self (DDF block) 7-10
Semiconductor Research Corporation (SRC) ..1-10, 1-11
sensor (SDF block) **5-41**
SeqATMCell class 10-20
SeqATMSub (DE block) 10-20
SeqATMZero (DE block) 10-20
Server (DE block) 10-14, *10-25*, *10-26*
servers
  processor sharing 10-25
set-path-width, VEM 16-10
setstate command 3-5, 3-7, 3-19
setup method 6-1
SGIAudioIn (CGC block) **12-6**
SGIAudioOut (CGC block) **12-7**
Sgn (CG56 block) **13-8**
Sgn (CGC block) **12-8**
Sgn (SDF block) **5-15**, *5-77*
SgnInt (CG56 block) **13-8**
SGVQ (SDF demo) **5-57**
SGVQCodebk (SDF block) **5-31**
SGVQCodebk (SDF demo) **5-57**
SGVQCoder (SDF block) **5-31**
shared data structures 10-21, 10-26
shared resource management 4-5
SharedBus, target *11-5*
shave (DE demo) 10-27
Shifter (CG56 block) **13-7**
shot noise 4-5
shotNoise (DE demo) 10-27
show-all command 2-11, 2-27, 16-10
show-name command 2-7, 2-10, 3-19
show-property command 16-17
signal processing stars
  CG56 ..... **13-12**
  SDF **5-27**
Signal Technology Inc. (STI) 1-12
Sih, G. 1-10
Sih-4-1 (CG demo) **11-15**
Silage 1-6, 4-8, **E-6**
Silage domain 4-8
Silage language 4-8
silence detection 10-27
Silva, M. 1-10
SimMT-VHDL target 4-6, 14-1
simulated time 4-2, 10-2, 10-4, **E-6**
simulation **E-6**
simulation domain **E-6**
simultaneous events 4-5
simultaneous events (DE domain) 10-3
SimVSS 4-6, 14-1
SimVSS-VHDL target 4-6, 14-1, 14-4
Sin (CG56 block) **13-8**
Sin (CGC block) 12-8
Sin (SDF block) **5-15**
Sinc (CG56 block) **13-8**
Sinc (CGC block) **12-8**
Sinc (SDF block) **5-15**, *5-73*
sine (CG56 simulator demo) **13-15**
singen (CG56 Galaxy) **13-2**
singen (CGC block) **12-5**, 14-8
singen (SDF block) **5-7**, *5-66*, *5-70*
single appearance schedules 5-61
single key accelerators 2-5
single-key accelerators **2-25**
singular value decomposition (SVD) 5-5
singular vectors 5-33
singular-value decomposition (SVD) 5-24, 5-33
Sink (CG block) **11-14**
sink stars, SDF **5-9**
sinMod (SDF demo) *2-5*, 3-18, **5-49**
sinWaves (SDF demo) 5-59
SJS scheduling 5-62, **5-62**
Skew (CG56 block) **13-9**
Sleep (CGC block) **12-10**
slider (CG56 CGC/S-56X block) **13-5**
slider (DE demo) 10-29
SmithForm (SDF block) **5-24**, **5-33**
snap **2-27**, 2-35, 2-38, **E-6**
sojourn time *10-25*
Sony 1-11
sound 2-39
sound (CGC demo) 12-19
sound synthesis 4-3
soundHOF (CGC demo) **12-19**
soundHOF (HOF demo) **6-21**
sound-making demos, SDF **5-54**
Source (CG block) **11-14**
source code, finding 2-45
source command 3-5
source stars
  CG56 ..... **13-2**
  SDF **5-5**
sources (DE demo) 10-28, 10-29
spectral estimation 4-3, 5-33, 5-79

Rect (SDF block) **5-7**, *5-66*
RectCx (SDF block) **5-40**
RectFix (CGC block) **12-5**
RectFix (SDF block) **5-8**
RectToCx (CG56 block) **13-12**
RectToCx (CGC block) 12-11
RectToCx (SDF block) **5-20**
RectToPolar (CGC block) 12-11
RectToPolar (SDF block) **5-20**, *5-70*
recursion 4-4, 6-11, 6-18, 7-1, 7-10, 7-11
redraw-window command 2-28
redraw-window, VEM 16-10
Reekie, J. 1-9
reflection coefficients 5-31
registerAction command 3-5, 3-15
register-transfer level simulation 4-7
removing windows B-4
renameuniv command 3-2, 3-5
Repeat (CG56 block) **13-10**
Repeat (CGC block) **12-9**
repeat (DDF demo) 7-11
Repeat (SDF block) **5-19**, *5-68*
Repeater (DDF block) 7-10, 7-11
repeater (DDF demo) 7-11
RepeatStar 10-3
repetitions of actors in SDF 5-3
replacement block 6-1
requireStronglyConsistent 8-2
re-read command 2-11, 16-10
reset command 3-5, 3-11
resources 2-52, 15-3, A-21, B-4
resources parameter 12-2
resources, CG star state 11-13
resources, target parameter 11-13
restructure 7-8
restructure parameter in DDF 7-5
retargetting 4-7, 14-1
return in dialog boxes 2-14
reverb (CG56 S-56X demo) **13-16**
Reverse (CG56 block) **13-10**
Reverse (SDF block) **5-17**, *5-71*
RGBToYUV (SDF block) **5-43**
RLattice (SDF block) **5-29**, *5-80*
rms (CGC galaxy) **12-12**
Rockwell 1-11
Rotate (CG56 block) **13-11**
roundRobin (DE demo) 10-27
router (DDF demo) 7-11
Router (DE block) 10-12
router (DE demo) 10-24
rpc-any command 2-11
rpc-any, VEM 16-22
run command 2-7, 2-8, 2-29, 3-5, 3-10, 3-19
run control panel 2-12
run? parameter 12-1
run-all-demos command 2-7
RunLenImage (SDF block) **5-45**
RunLenImageInv (SDF block) **5-45**
run-time flow of control 4-4
run-time scheduling **8-1**, **E-5**
runUntilDeadlock 7-8

S

s56XPlot (CG56 CGC/S-56X block) **13-6**
same-scale command 2-11
same-scale, VEM 16-10
SampleMean (SDF block) **5-25**
sampleNholdGalaxy (CG56 block) **13-11**
Sampler (DE block) *10-5*, 10-12, 10-24
sampler (DE demo) 10-24
sample-rate conversion 4-3, 4-4, 5-2, 5-49
sampling 5-67
Sangiovani-Vincentelli, A. 1-9
save-window command 2-11, 2-30, 16-10
saving facets 2-40
sawtooth (HOF demo) **6-19**, **6-20**
SCCS program 15-5
schedtime command 3-5
schedule command 3-5, 3-10
schedulePeriod **5-61**, **5-62**, 7-8, 8-2
Scheduler **E-5**
schedulers **8-1**
  CG *11-5*
  SDF **5-61**
  static **5-1**
schematic **2-4**, **E-5**
schematic editing style **2-35**
schematic mode 16-1
schematic view in vem 16-1
scramble (HOF demo) **6-19**, **6-20**
scramble (SDF demo) **5-48**
scrambledCGC (HOF demo) **6-21**
Scrambler (SDF block) **5-35**, **5-36**
screen dumps 2-41
scripting language 3-19
scriptTest (CGC demo) 12-20
SDF **E-5**
  delays **5-4**
  domain **5-1**
  interations 5-3
  loop scheduler **5-61**
  scheduler **5-61**
SDF (synchronous dataflow) **4-3**, **5-1**
SDF domain 1-6, 4-7, 7-1, 14-1
SDF domain within the DE domain 10-4
SDF model of computation 4-6, 14-1
SDF semantics 4-7, 4-9, 14-1
SDF-CGC Wormhole 12-21

PT_DEBUG environment variable.....2-50, 2-51
PT_DISPLAY environment variable 2-6, 2-50
PTARCH environment variable A-10
ptcl 1-3, **3-1**, 6-1, **E-5**
within pigi 3-18, 3-20
ptgdb 2-50, 2-51
ptinyRpc 2-52
ptkOptions.tcl A-21
ptlang **E-5**
Ptolemy **2-4**, **E-5**
PTOLEMY environment variable B-1, **E-5**
ptolemy user 2-1, B-1
ptrimRpc 2-52
Pulse (CG56 block) **13-9**
PulseComp (SDF block).....**5-41**
PulseGen (DE block).....10-7
pulses (SDF demo) **5-51**
push-context, VEM.....16-9
push-master, VEM.....16-9
pwd command 3-4
pxgraph 2-9, 5-10, **17-1**, A-34, **E-5**
troubleshooting.....A-20

Q

QAM (quadrature amplitude modulation).....5-51
qam (SDF demo) **5-51**
QAM16 (SDF block).....**5-35**
qam16Decode (SDF block) **5-36**
qam16Slicer (SDF block).....**5-36**
QAM4 (SDF block).....**5-35**
qam4Slicer (SDF block).....**5-36**
QAM4withDFE (SDF demo) **5-52**
qAndServer (DE demo).....10-25
qdm (Graphical DSP Debugger) ... **13-4**, **13-16**, **13-20**
quadrature amplitude modulation (QAM)..5-35, 5-51, 5-52
Quant (CG56 block) **13-8**
Quant (CGC block).....12-8
Quant (SDF block) **5-14**
QuantBitsInt (CG56 block) **13-9**
QuantBitsLin (CG56 block) **13-9**
QuantIdx (CG56 block).....**13-8**
QuantIdx (SDF block) **5-14**
quantization 5-14, *5-71*
quantize (CGC demo).....12-15
quantize (SDF demo).....**5-48**
Quantizer (SDF block) **5-14**, *5-48*
QuantRange (CG56 block).....**13-8**
quasi-static schedule.....8-1
queue.....10-15
queue (DE demo).....10-26
QueueBase (DE block).....10-16
queueing systems..... 1-6, 4-5, 10-1

R

Rabaey, J. 1-9
radar.....*6-11*, 6-20
RadarAntenna (SDF block).....**5-40**
RadarChainProcessing (HOF demo).....**6-20**
RadarTargets (SDF block) **5-40**
radioButton (CG56 CGC/S-56X block).....**13-5**
radioButtonInt (CG56 CGC/S-56X block) **13-5**
raised cosine pulses 5-51
RaisedCos (CG56 block).....**13-13**
RaisedCosine (SDF block) **5-34**, *5-66*, *5-67*, *5-73*, 6-3
RaisedCosineCx (SDF block) **5-34**
Ramp (CG56 block) **13-2**
Ramp (CGC block).....**12-5**, 14-8
Ramp (DE block) 10-8
Ramp (SDF block) **5-6**, *5-68*
RampFix (CGC block) **12-5**
RampFix (SDF block) **5-8**
RampInt (CG56 block).....**13-2**
RampInt (CGC block) **12-5**
RampInt (SDF block).....**5-8**
random delay 10-24
random numbers.....2-7, 10-9
random signals.....5-76
random walk 7-11
RanGen (DE block).....10-9
RankImage (SDF block).....**5-46**
rapid prototyping of application-specific signal processors 1-2, 1-10
RASSP.....1-2, 1-10
rasterized format.....6-9
RateChange (CG block) **11-14**
rational Z transform.....5-68
ReadFile (CG56 block) **13-3**
ReadFile (SDF block).....**5-6**, **5-7**
ReadImage (SDF block).....**5-43**
reading from a file 2-19
ReadPCM (SDF block) **5-8**
ReadRGB (SDF block).....**5-43**
ReadVar (SDF block).....**5-7**
real time.....4-5, **E-5**
realTime (DE demo).....10-24
rec2fsk (SDF block) **5-36**
rec2pam (SDF block) **5-36**
rec2psk (SDF block).....**5-36**
rec4pam (SDF block) **5-36**
Reciprocal (CG56 block) **13-8**
Reciprocal (CGC block).....12-8
Reciprocal (SDF block).....**5-15**
recompiling Ptolemy A-10
recover-facet, VEM.....16-9
recspread (SDF block).....**5-36**
Rect (CG56 block) **13-2**
Rect (CGC block).....**12-5**

phoneLine (CG56 CGC-S56X demo) **13-16**
phoneLine (CG56 simulator demo) **13-15**
physical editing style **2-35**
physical mode in vem 16-1
physical view of a facet **2-35**
picture (DDF demo) 7-11
pigi **1-3**, **2-1**, **2-4**, 4-3, 6-1, **E-5**
command line options 2-51
exiting 2-4
starting 2-51
using ptcl within pigi 3-18
pigi menu 2-4, 2-7, 16-3
pigiLog.pt file 3-20
pigiRpc **1-3**, 2-4, **2-4**, **2-22**, 2-52, 16-1, 16-2, **E-5**
PIGIRPC environment variable 2-50
pigiRpc.debug 2-51
pigiXRes9 ..... 2-52, A-21
Pino, J. 14-1
Pino, J. L. 1-9, 11-1, 13-1
pipeline (CG demo) **11-15**
Plasma **E-5**
Play (SDF block) 2-39, **5-11**
plldemo (SDF demo) **5-52**
plot complex signal command 2-7
plot DFT of a complex signal 2-7
plot DFT of a signal command 2-7
plot signal command 2-7
plots 10-10, 17-1
phase-space 5-53
polar form 5-47
scatter plots 5-52
signal 2-43
waterfall 5-54
PN, process network **4-4**
point in VEM 2-25
points in VEM 16-3
Poisson (DE block) 10-7
poisson (HOF demo) **6-20**
Poisson counting process 10-24, 10-26
Poisson processes 6-20
PolarToRect (CGC block) 12-11
PolarToRect (SDF block) **5-20**
poles and zeros 5-69
pole-zero plot *5-71*
polygons (drawing) 2-37
polymorphism 2-20
polyphase FIR filters 4-3, 5-49
polyphase multirate filters 5-28, 5-29, 13-13
pop-context, VEM 16-9
port **E-5**
PortHole **E-5**
Galaxy 2-31
type 2-20
portNumber parameter 12-4
POSIX threads **4-4**
postscript 2-40, 2-41
PostTest (SDF block) **5-38**
power spectrum 5-32
power spectrum estimation 5-33, 5-54
autocorrelation method 5-54
Burg's method 5-54
periodogram method 5-54
powerEst (CGC block) 12-8
powerEst (SDF block) **5-16**, *5-77*
powerEstCx (SDF block) **5-16**
powerEstLin (SDF block) **5-16**
powerSpectrum (SDF demo) **5-54**
pragma 7-5
firingsPerIteration 7-5, 7-11, 7-12
pragma command 3-4
pragmaDefaults commands 3-4
precision of fixed-point parameters 2-16
precision parameters 2-16
PRfilterBank (CGC S-56X demo) **13-17**
print command 3-4, 3-9, 3-19
Printer (CGC block) 12-7
Printer (DE block) 10-9
Printer (SDF block) **5-11**
PRINTER environment variable 2-40, 2-49
print-facet command 2-7
printing facets 2-40, A-32
printing the Ptolemy manual **15-1**
printing the screen 2-41
prioritized (DE demo) 10-27
priority (DE demo) 10-25
PriorityCheck (DE block) 10-19
PriorityQueue (DE block) 10-15, *10-25*
problems with input data A-20, A-34
processor-sharing server 10-25
procId 11-7
procId, CG star state 11-13
production of tokens or particles 5-1
profile command 2-7, 2-10
programmable DSP chips 1-6
programmer's manual 1-8
Prolog A-22
ProPort A/D (CG56 S-56X block) **13-4**
PrPrt AD (CG56 S-56X block) **13-4**
PrPrtADDA (CG56 S-56X block) **13-4**
PrPrtDA (CG56 S-56X block) **13-5**
pseudo random sequence 5-51
pseudoRandom (CGC demo) **12-16**
pseudoRandom (SDF demo) **5-51**
pseudo-random noise 5-6, 13-3
Psi (SDF block) **5-41**
PSServer (DE block) 10-14
psServer (DE demo) 10-25
PT troff string **15-7**

CG56 ..... **13-7**
SDF **5-13**
nonLinearDistortion (SDF block) **5-37**, **5-39**
Nop (HOF block) **6-15**, 6-17
normal distribution 10-9
Not (BDF block) 8-2
NOWam target 12-4
nr2mml script 15-1
NRL 1-11
NSF 1-10, 1-11
Null (DE block) 10-7
numOverlapped 7-8
numports command 3-4, 3-7
NumToBus (SDF block) **5-21**
Nyquist frequency 5-73

O

O'Reilly, M. 1-9, 1-10
object **E-4**
obtaining Gnu groff 15-10
Oct 16-1, **E-4**
oct tools 1-3, 1-12, **2-4**, **2-22**, **E-4**
oct units **2-35**
oct2ptcl **3-22**
octmvlib program 2-48
Office of Naval Technology (ONT) 1-10
olwm window manager 2-2
OneDoppler (SDF block) **5-41**
ONT 1-10, 1-11
Open Windows A-21, B-1
open-facet command 2-7, 2-24, 2-31
open-look window manager 2-2
open-palette command 2-7, 2-25, 2-31
open-window command 2-11, **2-27**, 16-8
OpenWindows 2-2
optfir program *5-74*, C-1
optimized mode, de 10-6
options 2-52
options command 2-7
OrderTwoInt (CG56 block) **13-8**
OrderTwoInt (CGC block) **12-8**
OrderTwoInt (SDF block) **5-15**
Ousterhout, J. 1-12, 3-1
output_map parameter 6-2
overall document file **15-6**
overlapAdd/FFT (SDF demo) **5-54**

P

Pack_M (SDF block) **5-24**
packetColor **2-38**
Packetize (DE block) 10-13
packet-switched network 10-27
packet-switched networks 4-5, 10-18
Pad (CG56 block) **13-11**
palette **2-4**, **2-23**, **E-4**
palette command 2-11, **2-35**, 16-8
pan command 2-11, **2-27**, 16-9
parallel architecture 1-6
parallel schedulers *11-7*
parameter_map parameter 6-2
parameters **2-14**, 3-6, 6-2, **E-4**
actual 2-33
complex 2-16
expression language 2-15
expressions 2-15
formal 2-33
Galaxy 2-33
setting 2-15
Parks, T. 12-1
Parks, T. M. 1-9, 4-1, **4-4**, 4-7, 5-1, 6-1, 7-1, 9-1, 10-1
Parks95fig3.11 (PN demo) *9-7*
Parks95fig3.5 (PN demo) *9-7*
Parks95fig4.1 (PN demo) *9-7*
Parks-McClellan algorithm 2-18, 5-73, C-1
particle **E-4**
particle type 2-20
PassGate (DE block) 10-12
path environment variable 2-1, 3-1
Patterson, D. 1-10
PattMatch (SDF block) **5-34**
PCM (pulse code modulation) 5-79
PCMBitCoder (SDF block) **5-20**, **5-39**
PCMBitDecoder (SDF block) **5-20**
PCMread (CGC Block) **12-6**
PCMVoiceRecover (DE block) 10-20
PCMwrite (CGC block) 12-7
PcwzLinear (SDF block) **5-16**
Peck, M. 13-4
PeekPoke (CG56 CGC/S-56X block) **13-6**
perfect reconstruction filter bank 5-49
perfectReconstruction (SDF demo) **5-55**
periodogram 5-79
periodogram (SDF block) **5-33**
periodogram method for power spectrum estimation .. 5-54
permlink command 3-4, 3-14
PGM format for images 5-41
phase jitter 5-37, 5-39, 5-52
phase noise 5-52
phase response 5-70
phase unwrapping 5-33
phased array beamforming 4-3
phased_array (HOF demo) **6-20**
phased_Array (SDF demo) **5-59**
phasedArray (SDF demo) **5-54**
phase-locked loops 4-3
phaseShift (SDF block) **5-29**, **5-36**, *5-53*
phase-space plots 5-53
Philips 1-11, 1-12

method....**E-4**
MICRO Program....1-10, 1-11
microphone array....6-20
Mike Peck, Berkeley Camera Engineering....13-20
Miller, R. E....5-1
minimum mean-square-error (MMSE)....7-12
minimum-phase polynomials....5-53
miscIntOps (CG56 demo)....*13-14*
MIT....2-2
Mitsubishi....1-11
model of computation....4-1, *4-2*, **E-4**
Model Technology VHDL simulator....4-7, 14-1
Modem (CGC S-56X demo)....**13-16**
modem (SDF demo)....**5-51**
modems....4-3
modulation....5-49, 5-65
Modulo (CGC block)....**12-8**
Modulo (SDF block)....**5-15**
modulo (SDF demo)....**5-48**
ModuloInt (CG56 block)....**13-8**
ModuloInt (CGC block)....**12-8**
ModuloInt (SDF block)....**5-15**
monoIn (CGC block)....**12-6**
monoOut (CGC galaxy)....**12-7**
Motif window manager....2-2
MotionCmp (SDF block)....**5-44**
MotionCmpInv (SDF block)....**5-45**
MotionComp (SDF demo)....**5-57**
Motorola....1-11, 4-6, 4-8, 13-1
Mountford, B....1-10
move-objects command....2-11, 2-43, 16-20, 16-21
moving facets....2-48
moving objects....2-43
moving terminals....2-38
Mpy (CG56 block)....**13-6**
Mpy (CGC block)....12-8
Mpy (SDF block)....**5-12**
Mpy (SDF) star....*2-32*
Mpy_M (SDF block)....**5-25**
MpyCx (CG56 block)....**13-6**
MpyInt (CG56 block)....**13-7**
MpyRx (CG56 block)....**13-7**
MpyShift (CG56 block)....**13-7**
MQ (message queue) domain....1-6, 4-8
MRVQ (SDF demo)....**5-57**
MRVQCodeBk (SDF demo)....**5-57**
MRVQCoder (SDF block)....**5-31**
MRVQmeanCB (SDF demo)....**5-57**
MRVQshapeCB (SDF demo)....**5-57**
MuLaw (SDF block)....**5-20**, **5-37**
multidimensional data....6-9
multidimensional synchronous dataflow domain....6-9
multiFork (CG56 demo)....*13-14*
MultiIn (CG block)....**11-14**
MultiInOut (CG block)....**11-14**
multilink command....3-4, 3-14
multimedia systems....4-5
MultiOut (CG block)....**11-14**
Multiple (SDF block)....**5-17**
multiple inputs....2-45
multiple outputs....2-45
multiple-processor schedulers....*11-7*
MultiPortHole....2-45
multiporthole....6-15
MultiPortHole class....3-5
MultiPortHoles....3-7
multiprojection....6-9
multirate (SDF demo)....**5-49**
multirate demos, SDF....**5-49**
multirate filters....5-28, 5-29, 13-13
multirate signal processing....4-3, 5-2, 5-67
MultiTone (CG56 S-56X in SDF Wormhole demo)....**13-17**
Murthy, P....1-9, 11-1
MUSIC_M (SDF block)....**5-33**
Mux (CG56 block)....**13-10**
Mux (CGC block)....**12-9**
Mux (SDF block)....**5-19**, *5-48*
muxDeMux (SDF demo)....**5-48**
mwm....2-2

N

names of terminals....2-44
nameSuffix parameter....12-4
NaN....A-20, A-34
National Science Foundation (NSF)....1-10
Naval Research Labs (NRL)....1-11
NEC....1-10, 1-11
Neg (CG56 block)....**13-7**
nested loops....8-4
net....2-46, **E-4**
Netscape....A-22
NetworkCell class....10-18
Networks Of Workstations (NOW)....12-4
newstate command....3-4, 3-6
Newton, R....1-12
newuniverse command....3-2, 3-4
Niehauss, D....1-10
node command....3-4, 3-6
nodeconnect command....3-4, 3-6
noise....5-6, 5-37, 13-3
noiseChannel (SDF block)....**5-37**, **5-39**
noisySines (CGC demo)....**12-20**
non-determinacy....4-2
nonlinear....5-52
nonlinear (CGC demo)....12-16
nonlinear distortion....5-37, 5-52
nonlinear stars

LmsDTMFDecoderBank (SDF block) **5-38**
lmsDualTone (SDF block) 5-38, **5-39**
lmsFreqDetect (SDF demo) **5-47**
LMSGanged (CG56 block) **13-13**
LMSLeak (SDF block) **5-30**
LMSOscDet (SDF block) **5-30**
LMSPlot (SDF block) **5-30**
LMSPlotCx (SDF block) **5-30**
LMSTkPlot (CGC block) 12-12, 14-10
LMSTkPlot (SDF block) **5-30**, *5-77*
load command 3-13
load-star command 2-7
load-star-perm command 2-7
Log (CG56 block) **13-8**
Log (CGC block) 12-8
Log (SDF block) **5-15**, *5-68*
log file pigiLog.pt 3-20
log-bindings, VEM 16-8
logFile 7-9, 8-2
Logic (DE block) 10-18, *10-24*
logic (DE demo) 10-24
Logic (SDF block) **5-17**
logic stars, CG56 ..... **13-9**
logic stars, SDF **5-16**
logicTest (CG56 demo) *13-14*
Loh, J. 1-10
look-inside command 2-5, 2-7, A-32
LookupTbl (CG56 block) **13-9**
loop (BDF demo) **8-4**, 12-21
loop (CGC demo) 12-16
loop (DDF demo) 7-11
loop schedulers 5-61, **5-62**
loopScheduler, parameter 5-62
loop-SDF 5-62
loopTheLoop (BDF demo) **8-4**
LossyInput (DE block) 10-12
lossySpeech (SDF demo) **5-50**, **5-55**
lossySpeechPrevCell (SDF demo) **5-51**, **5-55**
Lucky/Goldstar 1-11

M

M56K Simulator file input 13-3
machineNames parameter 12-4
MacQueen, D. B. 9-5
Magnavox (CG56 S-56X block) **13-4**
MagnavoxIn (CG56 S-56X block) **13-4**
main universe 3-19
make A-13
Makefile_C target 12-2
make-schem-icon command 2-7, 2-30, 2-32, 2-39
make-star command 2-7, 2-45
making icons 2-30
man command 2-7, 2-10
manifest iteration 8-4
manual, printing **15-1**
manualAssignment, target parameter 11-13
Map (HOF block) **6-2**, **6-16**
mapcar function in Lisp 4-3, 6-1
MapGr (HOF block) **6-17**
Markov 5-47
master **E-4**
masters program 2-48, A-20, **E-4**
matched filtering 5-51
Math Works, Inc. 5-25
Mathematica 2-18
mathematica command 3-4
Matlab 2-18, 5-25
Matlab (SDF block) **5-11**
matlab command 3-4
Matlab_M (SDF block) **5-9**, **5-26**
MatlabCx_M (SDF block) **5-9**, **5-26**
Matrix (SDF block) **5-8**
matrix operations in SDF 5-2, **5-22**
MatrixParticle class 6-9
MatrixTest1 (SDF block) **5-60**
MatrixTest2 (SDF block) **5-60**
MatrixTest3 (SDF block) **5-60**
maxBufferSize 7-8
maxBufferSize in DDF 7-7, **7-8**
maximal-length shift register 5-51
maximum buffer size in DDF **7-8**
maximum entropy power spectrum estimation 5-32
maximum entropy spectral estimation 5-33
maximum entropy spectrum estimation 5-32
MaxMin (CG56 block) **13-8**
MaxMin (CGC block) **12-8**
MaxMin (SDF block) **5-15**
MC_DCT (SDF demo) **5-56**
McLennan, M. 1-10
MDSDF domain 4-5, 6-9
me troff macros 15-1
mean of a random process 10-24
MeasureDelay (DE block) 10-16, *10-25*
measureDelay (DE demo) 10-25
MeasureInterval (DE star) 10-16
MedianImage (SDF block) **5-46**
member **E-4**
memory leaks A-32
Mentor Graphics 1-11, 4-9
menu
  pigi 2-4, 2-7, 16-3
  vem 2-9, 2-11, 2-36, 16-3
Merge (DE block) 10-12, *10-24*
merge (DE demo) 10-24
Message class 10-18, 10-20
message queue domain 1-6
MessageParticle class 6-9
Messerschmitt, D. G. 1-9, 2-1, 5-1

IntToCx_M (SDF block) **5-22**
IntToFix (CG56 block) **13-12**
IntToFix (SDF block) **5-21**
IntToFix_M (SDF block) **5-22**
IntToFloat (SDF block) **5-22**
IntToFloat_M (SDF block) **5-22**
invalid masters A-20
Inverse_M (SDF block) **5-25**
Ir troff macro **15-6**
itcl A-14
iteration 7-1, 7-3, 7-11, **E-4**
  in DDF **7-7**

K

Kahn process networks **4-4**
Kahn, G. 9-5
Kahn, J. M. 1-9
Kahn74fig2 (PN demo) *9-6*
Kahn77fig3-opt (PN demo) *9-6*
Kahn77fig4 (PN demo) *9-6*
Kahn77fig4-opt (PN demo) *9-6*
Kaiser **5-7**
Kalavade, A. 1-9, 4-1, 5-1
Kalman filtering 4-3, 5-5
Kalman_M (SDF block) **5-60**
Kamas, A. 1-9, 1-10, 2-1, 5-1, 5-65, 6-1, 15-1, A-1
Karp & Miller 7-12
Karp, R. M. 5-1
Karplus-Strong algorithm 5-54
kernel of Ptolemy 2-22, **E-4**
key bindings **2-25**
keyboardFocusPolicy 2-2
Khazeni, A. 1-9, 5-1
Khiar, K. 5-40, 6-1
kill-application, VEM 16-22
kill-buffer, VEM 16-8
Knightly, E. 1-9, 4-5, 10-1, 10-2
knownlist 3-2
knownlist command 3-3, 3-9
KSchord (SDF demo) **5-54**
Kuroda, I. 1-9, 1-10

L

labels
  facets 2-44
  icons 2-37
  vem bug A-32
Lapsley, P. 1-9, 1-10, 2-1, 15-1
laser phase noise 5-52
last-in first-out (LIFO) queue 10-15
LastOfN (DDF block) 7-9
Lattice (SDF block) **5-29**, *5-80*
lattice (SDF demo) **5-53**
lattice filters 5-31, 5-53, 5-80
latticeDesign (SDF demo) **5-53**
layer A-32, **E-4**
layer palette **2-35**
layer-display command 2-11, 2-42, 16-14
layers in Vem **2-35**, 2-44
lazy evaluation **7-7**
LBTest (DE demo) 10-26
ld.so errors A-21
LeakBucket (DE block) 10-12
Lee, B. 1-10, 5-1
Lee, E. 12-1
Lee, E. A. 1-9, 2-1, 3-1, 4-1, 4-5, 5-1, 5-65, 6-1, 7-1, 8-1, 10-1, 11-1, 14-1, 15-1, 16-1, 17-1, A-1
Lee, J. 1-10
Lee, S. 4-7
Lee, S.-J. 1-10
LevDur (SDF block) 5-2, **5-33**, *5-80*, *5-81*
levinsonDurbin (SDF demo) **5-53**
Levinson-Durbin algorithm 5-32, 5-33, 5-53, 5-79
Li, W. 1-10
LIBRARY_PATH environment variable **A-10**
libXext.so.4
  not found A-21
lightweight process library 4-7
Limit (CG56 block) **13-8**
Limit (CGC block) **12-8**
Limit (SDF block) **5-15**
line 2-25
linear distortion 5-37
linear phase filtering 5-70
linear prediction 4-3, 5-32, 5-39
linearPrediction (SDF demo) **5-53**
lines 16-3
lines (drawing) 2-37
link command 3-4, 3-14
linking new stars in ptcl 3-2, 3-14
linkOptions parameter 12-1, 12-2
Linnartz, J.-P. 1-9
LinQuantIdx (SDF block) **5-14**
Lisp 4-3, 6-1
listobjs command 3-4
LMS 5-30, **5-30**
LMS (CG56 block) **13-13**
lms (CG56 CGC-S56X demo) **13-16**
lms (CG56 simulator demo) **13-15**
LMS (CGC block) 12-12
LMS (SDF block) **5-30**, *5-52*, *5-77*
LMS adaptive filter 5-52
LMS adaptive filter, complex **5-53**
LMS adaptive filters 5-39
LMSCx (SDF block) **5-30**
LMSCxTkPlot (SDF block) **5-30**
lmsDTMFCodec (CG56 CGC-S56X demo) **13-16**
lmsDTMFCodec (CG56 simulator demo) **13-15**
lmsDTMFCodec (SDF demo) **5-50**

hardcopy 2-40, 2-49
hardware systems....1-6, 4-5
Harrison, D. 1-10, 1-12, 2-1, 2-9, 16-1, 17-1
Haskell, P.... 1-9, 5-1, **5-41**, 10-1
hdShotNoise (DE demo).... 10-27
Heine, H....1-10, 2-1
help command 3-3, 3-15
Henon map....5-53
Hermitian_M (SDF block) **5-24**
high-density shot noise 10-27
higher-order functions 4-3, 6-1, 7-10
Hilbert (SDF block).... **5-29**
Hilbert transform 5-53
hilbertSplit (SDF block) **5-36**
histogram 5-10, 5-48, 10-10
Hitachi America.... 1-11
Hitachi Ltd.... 1-11
Ho, W.-H. 1-9, 1-10
HOF (higher-order functions).... **4-3**
HOF Domain 6-1
homogeneous synchronous dataflow....E-3
HostButton (CG56 QDM/S-56X Block).... **13-5**
HostMButton (CG56 QDM/S-56X Block) **13-5**
HostSlider (CG56 QDM/S-56X Block) **13-5**
HostSliderGX (CG56 S-56X block).... **13-4**
How, S. 1-9, 1-10
Huang, C.-T. 1-9, 13-1
Huang, W.-J.....1-10, 2-1
Hughes Network Systems.... 1-11
Hughes Research Laboratories 1-11
Hylands, C. ...1-9, 2-1, 3-1, 5-1, 9-1, 11-1, 12-1, 13-1, 14-1, 15-1, 16-1, A-1, D-1
Hyper 4-9

I

I/O stars, CG56.... **13-3**
icons.... 2-4, 2-30, 16-1, **E-4**
  background **2-35**
  reflecting.... 2-44
  rotating 2-44
  shadow.... **2-35**
Id troff macro.... **15-6**
ideal low-pass filter 5-73
Identity_M (SDF block) **5-9**
IE troff macro **15-6**
Ie troff macro.... **15-6**
IEEE floating point numbers A-34
IEEE floating-point numbers.... 17-1
IfGr (HOF block).... **6-18**
if-then-else.... 7-11, 8-1, 8-4
ifThenElse (BDF demo) **8-4**, 12-21
ifThenElse (DDF demo).... 7-10
IfThenElse (HOF block).... **6-18**
IIDGaussian (CG56 block).... **13-3**
IIDGaussian (SDF block).... **5-6**
IIDUniform (CG56 block) **13-3**
IIDUniform (CGC block).... **12-5**, 14-8
IIDUniform (SDF block).... **5-6**, *5-77*
IIR.... **5-29**
IIR (CG56 block) 13-13
IIR (SDF block).... **5-29**, *5-69*, *5-71*, *5-76*
IIR lattice filters 5-31
IIRFix (SDF block) **5-29**
iirTest (CG56 demo) *13-14*
image coding 5-44
image prcessing demos, SDF **5-55**
image processing 4-3
image processing stars, SDF **5-41**
ImageToCell (DE block).... 10-19
IMEC....1-10, 4-9
Impulse (CG56 block).... **13-3**
Impulse (CGC block) 14-8
impulse (CGC demo) 12-19
Impulse (DE block) 10-7
Impulse (SDF block) **5-6**, *5-69*
inconsistency
  in dataflow.... 7-10
  in DDF.... **7-7**
  in SDF **5-3**, **5-49**
inconsistent facets 2-48, A-20
incremental linking.... 3-2
index entries **15-6**
  in FrameMaker.... **15-3**
Inf A-20, A-34
init.pal facet....2-24, 2-30
initDelays (SDF demo).... 5-60
input_map parameter.... 6-2
insanity (BDF demo).... **8-4**
instance.... 2-27
instance name 3-19
intColor.... **2-38**
integer Particle type (table) 2-20
Integrator (CG56 block).... **13-8**
Integrator (CGC block) 12-8
integrator (CGC demo).... 12-15
Integrator (SDF block) **5-12**
integrator (SDF demo) **5-48**
interface.... 16-1
interface facet **2-23**, 2-27, **2-35**, **E-4**
interp (CGC demo).... 12-16
interp (SDF demo).... **5-49**
interpolation 5-2, 5-49
interrupt, VEM 16-8
IntReadFile (CG56 block).... **13-3**
IntToBits (CG56 block) **13-12**
IntToBits (SDF block).... **5-21**
IntToCx (CG56 block) **13-12**
IntToCx (SDF block) **5-21**

fm (CGC demo) **12-19**
fm (CGC galaxy) **12-9**
fmplay (SDF demo) **5-54**
fmSpectral (CGC demo) **12-19**
focus **2-2**
fonts 2-44, 2-52, A-21
fonts, special **15-7**
foreach Tcl command 3-19
Fork (BDF block) 8-2
Fork (CG56 block) **13-10**
Fork (CGC block) **12-9**
Fork (DE block) 10-12
Fork (SDF block) **5-17**, *5-70*
forks
  automatic 3-6
  star **E-3**
formal parameters **2-33**
four_level (DE demo) 10-28
Fourier series 6-19
Fourier transform 2-43, 5-53
fourierSeries (HOF demo) **6-19**
FrameMaker 2-40, 2-42, 15-1, 15-2, A-22
framework 2-22
Frampton, P. 12-19
Fratt, M. 1-9, 1-10
Free Software Foundation 1-12, 15-9
freqPhase (SDF block) **5-37**, **5-39**, *5-48*
freqPhaseOffset (SDF demo) **5-48**
freqsample (SDF demo) **5-53**
frequency domain convolution 5-54
frequency domain filtering 4-3
frequency offset 5-37, 5-39
frequency response 5-70
frequency sampling method 5-53
frequency sampling method for filter design C-1
fullVQ (SDF demo) **5-57**
fullVQCodebk (SDF demo) **5-57**
FullyConnected, target *11-3*
funcName parameter 12-1, 14-2
functional block diagram 4-9, 14-1
functional language 4-8
functional modeling 4-6, **E-3**
functional programming 6-2

G

g++ compiler A-9
Gabriel 1-2
Gain (CG56 block) **13-6**, **13-7**
Gain (CGC block) 12-8
Gain (SDF block) **5-12**
Gain_M (SDF block) **5-24**
GAL **5-29**
GAL (CGC block) **12-12**
Galaxy **2-4**, **E-3**
  creating 2-31
  define-params 2-33
  defining in ptcl 3-8
  documenting **15-7**
  parameters 2-33
  PortHole 2-31
  terminal 2-31
  terminals 2-39
Gantt chart and itcl A-14
Gantt chart display *11-8*
gaussian (SDF demo) **5-48**
Gaussian noise 5-76
Gaussian white noise 5-6, 5-37, 5-52, 13-3
GCC_EXEC_PREFIX environment variable **A-10**
gdb debugger 2-50, 2-51
GenTarget (SDF block) **5-40**
geodesic size, DDF **7-8**
GGAL (CGC block) **12-12**
GGAL (SDF star) **5-29**
Girault, A. 1-8, D-1
GLA **5-31**
GLA (SDF block) **5-31**
Gnu tools 1-12
Goei, E. E. 1-10, 2-1
Goertzel (CGC block) **12-12**
Goertzel (SDF block) **5-29**
GoertzelDetector (CGC block) **12-12**
GoertzelDetector (SDF block) **5-38**
GoertzelPower (CGC block) **12-12**
GoertzelPower (SDF block) **5-33**
goertzelTest (CG56 demo) **13-14**
graphical interface 2-1
graphing 17-1
Gray, P. 1-9
grid 2-27
Grimwood, M. 1-10
groff program 15-9
group delay 5-70
Gu, S. 1-9
Guntvedt, E. 1-10
gzip A-7

H

Ha, S. 1-9, 4-1, 5-62, 7-1, 10-1, 11-1, 12-1
halt command 3-3, 3-10
halting problem 7-3
Hamilton, E. 1-10
Hamming **5-7**
Hamming window 5-54
Han, R. 10-1
HandShake (DE block) 10-22
handShakeQ (DE block) 10-22
Hanning **5-7**
Hanning window 5-54, *5-74*

event 10-1, **E-3**
event horizon **E-3**
event path..... 10-3
event queue 4-5, 10-2
event-driven model of computation..... 4-5
event-driven simulation 4-7
event-generators (DE domain) 10-2
EventHorizon in DDF..... **7-12**
excess bandwidth..... *5-73*
exit command 3-3, 3-15
exiting pigi..... 2-4
exit-pigi command..... 2-7
Exp (CGC block)..... 12-8
Exp (SDF block)..... **5-15**, *5-68*
expgen (CGC block)..... **12-5**
expgen (SDF block)..... **5-8**, *5-68*
expjx (CG56 block) **13-8**
expjx (CGC block) 12-8
expjx (SDF block) **5-15**
exponential (HOF demo)..... **6-21**
exponential distribution 10-9
exponential sequences 5-68
Expr (CG56 block) **13-9**
Expr (CGC Block)..... 12-9
expressions in parameter values 2-15
eye (SDF demo)..... **5-50**
eye diagram display..... 5-52

F

facet **2-4**, **2-22**, 16-1, **E-3**
facet number command 2-7
fast Fourier transform (FFT) algorithm. 5-2, 5-33, 13-13
Fay, T..... 5-47
feedback
  around quantizer structure..... 5-54, 5-78
  systems 5-69
FFT **5-32**, 6-13, 6-19
  two dimensional 6-10
FFT (fast Fourier transform) 5-2, 5-33
fft (HOF demo)..... **6-19**
FFT (SDF block) *5-53*
fft2d (HOF demo)..... **6-19**
FFTCx (CG56 block) **13-13**
FFTCx (CGC block)..... 12-12
FFTCx (SDF block) 5-2, *5-3*, **5-33**, *5-53*, *5-65*, *5-70*, *5-74*, *6-10*
fibonnacci (DDF demo)..... 7-11
FIFOQueue (DE block) 10-15, *10-25*, *10-26*
file input..... 5-6, 5-7, 10-9
file input for parameters 2-16, 2-19
file parameter..... 12-1
fileColor..... **2-38**
files in parameters..... 2-19
Filter (DE block) 10-22, *10-27*
filter banks..... 4-3
filter design..... 4-3, 5-53, C-1
filterBank (CGC demo)..... 12-16
filterBank (SDF demo)..... **5-49**
filterBank-NonUniform (SDF demo)..... **5-50**
filterPrototype (SDF demo)..... **5-61**
find-name command..... 2-7
finite Fourier series approximation 6-19
FIR..... 2-18, 5-28, **5-28**, 5-29, **5-29**, *5-53*
FIR (CG56 block)..... **13-13**
FIR (CGC block)..... 12-12
FIR (finite impulse response filtering)..... 5-31
FIR (SDF block)..... 5-2, **5-28**, *5-49*, *5-53*, *5-66*, *5-69*
FIR filter design 5-73, C-1
FIR lattice filter *5-81*
FIRCx (SDF block) **5-28**, *5-49*
FIRCx (SDF star) 5-2
FIRFix (CGC block)..... **12-12**
FIRFix (SDF block) **5-29**
firing of actors or stars 5-1, **E-3**
firing rule..... **E-3**
firingsPerIteration pragma..... 7-5, 7-11, 7-12
first-in first-out (FIFO) queue 10-15
fixColor **2-38**
fixConversion (CGC demo) **12-18**
fixConversion (SDF demo) **5-57**
fixed-point parameters..... 2-16
fixFIR (CGC demo) **12-18**
fixFIR (SDF demo) **5-57**
fixIIRdf (SDF demo)..... **5-57**
fixMpyTest (CGC demo) **12-18**
fixMpyTest (SDF demo) **5-58**
FixToCx (CG56 block) **13-12**
FixToCx (SDF block)..... **5-21**
FixToCx_M (SDF block)..... **5-22**
FixToFloat (SDF block)..... **5-21**
FixToFloat_M (SDF block) **5-22**
FixToInt (SDF block)..... **5-21**
FixToInt_M (SDF block) **5-22**
float Particle type 2-20
float Particle type (table)..... 2-20
floatColor **2-38**
FloatToCx (SDF block)..... **5-21**
FloatToCx_M (SDF block) **5-22**
FloatToFix (SDF block)..... **5-21**
FloatToFix_M (SDF block) **5-22**
FloatToInt (SDF block)..... **5-21**
FloatToInt_M (SDF block) **5-22**
FloatVecData class..... 10-13
Floor (CGC block) **12-8**
Floor (SDF block) **5-15**
FlushNet (DE demo) 10-26
FlushQueue (DE block)..... 10-15

options 15-6
DivByInt (CG56 block) **13-7**
DivByInt (SDF block) **5-13**
documentation 1-8, 15-1
demos **15-7**
galaxies **15-7**
stars **15-7**
universes **15-7**
writing new **15-5**
Dolby Laboratories 1-11
domain 1-6, **2-4**, 2-53, 4-1, **E-2**, **E-3**
command 3-2, 3-3
in pigi 2-53
in the interpreter 3-17
SDF **5-1**
timed and untimed 4-2
domains command 3-3
doppler (SDF demo) **5-53**
do-while 8-1, 8-4
DownCounter (DDF block) 7-9
DownSample (CG56 block) **13-10**
DownSample (CGC block) 12-9
DownSample (SDF block) 5-2, **5-18**, *5-67*
downSample (SDF demo) **5-50**
DPCMImage (SDF block) **5-44**
DpcmImage (SDF demo) **5-56**
DPCMImageInv (SDF block) **5-44**
drag 2-25, **2-25**, **E-3**
drawing
boxes 2-25
circles 2-37
lines 2-25, 2-37
polygons 2-37
DSP Station from Mentor Graphics 4-9
DSP56000 13-1
DSP56k 4-6
DSP96k 4-8
DSPlayBQ (CG56 block) **13-13**
DSPWorm (CG56 S-56X in SDF Wormhole demo) ... **13-17**
DTFT (discrete-time Fourier transform) 5-65
DTFT (SDF block) **5-33**, *5-53*, *5-74*
dtft (SDF demo) **5-53**
dtmf (CGC demo) 12-19
DTMFCodec (CG56 CGC-S56X demo) **13-16**
DTMFCodec (CG56 simulator demo) **13-15**
DTMFCodec (CGC demo) **12-17**
DTMFCodec (SDF demo) **5-50**
DTMFDecoder (CGC block) **12-12**
DTMFDecoder (SDF block) **5-38**, **5-39**
DTMFDecoderBand (CGC block) **12-12**
DTMFDecoderBank (SDF block) **5-38**
DTMFGenerator (SDF block) **5-6**, **5-38**
DTMFPostTest (CGC block) **12-12**
dtmfSpectrum (CGC S-56X demo) **13-17**
dynamic constructs 7-1
dynamic dataflow 1-6, **7-1**, **E-3**
dynamic flow of control in dataflow **8-1**
dynamic linking 1-12, 3-2, 3-14, A-9
dynamic scheduling in dataflow 7-11

E

echo canceling (CG56 S-56X demo) **13-16**
Eddins, S. 1-9
EdgeDetect (SDF demo) **5-56**
edit-comment command 2-7
edit-domain command 2-7
edit-icon command 2-7, 2-23
edit-label command 2-11, 2-37, 2-44
edit-label, VEM 16-19, 16-22
editor (text) 2-50
edit-params command . 2-7, 2-14, 2-15, 2-30, 2-33, 3-19
edit-pragmas 7-5
edit-pragmas command 2-7
edit-seed command 2-7
edit-target command 2-7
Edwards, S. 1-8, A-1
EECS20 12-22
elliptic filter 5-71
emacs 2-13, 2-50, 2-51, A-22
embedded systems 1-6
EndCase 7-6
EndCase (DDF block) 7-9, 7-11
EndCase (DE star) 10-13
environment variables 2-40, 2-49
C_INCLUDE_PATH A-10
CPLUS_INCLUDE_PAT A-10
DISPLAY 2-52, 16-2
GCC_EXEC_PREFIX A-10
LIBRARY_PATH A-10
path 3-1
PIGIRPC 2-50
PRINTER 2-40, 2-49
PT_DEBUG 2-50, 2-51
PT_DISPLAY 2-6, 2-50
PTARCH A-10
PTOLEMY 2-1, A-20, B-1
eqn program 15-1
equiripple FIR command 2-7
equiripple FIR filter design C-1
eratosthenes (DDF demo) 7-10, *9-6*
errorDemo (DDF demo) 7-10
errors, finding the source 2-48
Ether (DE block) 10-20
EtherRec (DE block) 10-21, *10-26*
EtherSend (DE block) 10-21, *10-26*
Evans, B. 1-9, 3-1, 4-1, 5-1, 9-1, 10-1, 13-1

dataflow, synchronous 12-1
dataIter (BDF demo) **8-3**
DB (CGC block) 12-12
DB (SDF block) **5-15**, **5-32**
DCE A-35
DctImage (SDF demo) **5-56**
DCTImageCodeInv (SDF block) **5-44**
DCTImageInv (SDF block) **5-44**
DDF (dynamic dataflow) **4-3**, **7-1**
DDF (dynamic dataflow) domain **7-1**, **E-2**
buffer size **7-8**
inconsistencies **7-7**
wormhole 7-7
DDF domain 1-6
DDF Schedulers 7-2
DDFClustSched 7-5
DDFClustSched class 7-8
DDFSimpleSched class 7-4
DE **4-5**
DE (discrete event) domain 1-6, **4-5**, 10-1, **E-2**
scheduler 10-1
within the SDF domain 10-5
debug control panel 2-13
debugging 2-50, 2-51
decibels scale 5-32
decimation-in-time FFT 6-19
decimation-in-time FFT algorithm 6-13
decision feedback equalizer 5-52
deep-reread, VEM 16-8
default-CG, target *11-2*
default-CGC target 12-2
default-DDF target 7-8
default-VHDL target 4-6, 14-1
deferrable star 7-4
defgalaxy command 3-3, 3-8
delay 5-17, 5-70
Delay (CG56 block) **13-11**
Delay (CGC block) **12-10**
Delay (DE block) 10-14
delay-free loop
in DE 10-4
in SDF **5-4**
delays 2-45
DE domain 10-4
in SDF **5-4**
delayTest (SDF demo) **5-47**
delayVsServer (DE demo) 10-25
delete-objects command 2-11, 2-28
delete-objects, VEM 16-19, 16-20
delnode command 3-3, 3-12
delstar command 3-3, 3-11
deluniverse command 3-2, 3-3
demos 2-2
documenting **15-7**
DeMux (CGC block) **12-9**
DeMux (SDF block) **5-19**, *5-48*
derived class **E-2**
DeScrambler (SDF block) **5-36**
descriptor command 3-3, 3-9
design database 1-3, 2-22
DeSpreader (SDF block) **5-36**
determinacy 7-3
DeTroch, S. 1-10
dft (CGC demo) 12-16
DFT (discrete Fourier transform) 5-74
DFT (discrete Fourier transform), two dimensional 6-10
dft (SDF demo) **5-53**
dialog boxes 2-12
Diesta, R. 1-10, 10-1
differential pulse code modulation 5-44
digital audio tape 5-50
digital circuit simulation 4-7
digital filtering 4-3
digital logic simulation 5-21
digital signal processing demos, SDF **5-52**
Direct Adaptive Frequency Estimation Technique .. 5-30
direct form II 5-29, 5-71
direct-form recursive filters 6-19
directory parameter 12-1
Dirichlet (CGC block) **12-8**
Dirichlet (SDF block) **5-15**
Discard (DE block) 10-11
disconnect command 3-3, 3-11
discrete event **E-2**
Discrete event domain 10-1
discrete Fourier transform 5-53
two-dimensional 6-10
discrete-event 1-6
scheduler 1-9, 10-2
discrete-time Fourier transform (DTFT) 5-53, 5-65
display 2-52
DISPLAY environment variable 16-2
display? 12-1
DisplayImage (SDF block) **5-41**
DisplayRGB (SDF block) **5-42**
displays (DE demo) 10-29
display-schedule command 2-7, 8-3
DisplayVideo (SDF block) **5-42**
distortion (DE demo) 10-27
distortionQ (DE demo) 10-28
Distributed Computing Environment A-35
Distributor (CG56 block) **13-10**
Distributor (CGC block) **12-9**
Distributor (SDF block) 5-2, **5-18**, *5-48*, *6-10*
Dither (SDF block) **5-45**, **5-46**
ditroff 15-1

communication network protocols 4-5
communication networks 1-6, 4-5, 10-1, 10-26
communications demos, SDF **5-50**
communications stars, SDF **5-34**
Commutator (CG56 block) **13-10**
Commutator (CGC block) **12-9**
Commutator (SDF block) 5-2, **5-18**, *5-48*, *6-10*
Commutator (SDF star) *6-20*
compact disc 5-50
CompareMedian (SDF demo) **5-56**
comparison (SDF demo) **5-47**
compile? 12-1
CompileCGSubsystems 11-9, 11-10, 13-16
CompileCGSubsystems target 4-6, 14-1, 14-4
compileCommand parameter 12-1, 14-3
compile-facet command 2-7, 3-18
compileOption parameter 12-1, 14-3
compileOptions parameter 12-1
compile-SDF (SDF target) **5-62**
compile-time scheduling 4-4, **E-2**
compiling Ptolemy A-10
complex baseband envelope 5-52
Complex data type (CG56) 13-11
complex data type (CG56) 13-1
complex LMS adaptive filter **5-53**
complex parameters 2-16
complex Particle type 2-20
complex Particle type (table) 2-20
complex signals 5-49
complexColor **2-38**
complexExponential (SDF demo) **5-47**
computation graph 5-1
computer architecture modeling 10-1
conditionals 4-4, 7-1, 7-11
conditionals (DE demo) 10-23
conj (CGC block) 12-8
conj (SDF block) **5-14**
Conjugate_M (SDF block) **5-24**
connect command 3-3, 3-5
consistency
  in dataflow 7-10, 8-1
  in DDF **7-7**
  in SDF **5-3**
consistent graph, DDF **7-7**
console window 2-51
console window for pigi 3-18
Const (CG56 block) **13-2**
Const (CGC block) **12-5**, 14-8
Const (DE block) 10-8
Const (SDF block) **5-5**, *5-68*
ConstCx (CG56 block) **13-2**
ConstCx (SDF block) **5-8**
constellation (SDF demo) **5-50**
constellation display 5-52
ConstFix (SDF block) **5-8**
ConstInt (CG56 block) **13-2**
ConstInt (SDF block) **5-8**
consumption of tokens or particles 5-1
cont command 3-3, 3-10
contents facet **2-23**, **2-35**, 16-1, **E-2**
continuous-time random processes 10-26
Contrast (SDF block) **5-45**
control stars, CG56 ..... **13-10**
control stars, SDF **5-17**
conversion stars, CG56 ..... **13-11**
conversion stars, SDF **5-20**
convolution 5-54, 5-68
Convolve (SDF block) **5-28**
copying facets 2-48
copy-objects A-32
copy-objects command 2-11, 2-43
copy-objects, VEM 16-18, 16-21
Cos (CG56 block) **13-8**
Cos (CGC block) 12-8
Cos (SDF block) **5-14**
co-simulation 4-6, 14-1, 14-4
cosine (SDF galaxy) **5-34**
counter (up/down) 10-22
CP (communicating processes) domain ..1-6, **4-7**, **E-2**
CPLUS_INCLUDE_PATH environment variable.. **A-10**
create command 2-11, 2-27
create, VEM 16-21
create-circle, VEM 16-18
create-geometry command 2-37
create-geometry, VEM 16-18
CreateSDFStar 11-10, 12-21
current domain 3-3
current galaxy 3-2
current universe 3-2
cursor 2-32
curuniverse command 3-2, 3-3, 3-18
Cut (CG56 block) **13-11**
CxToFix (CG56 block) **13-12**
CxToFix (SDF block) **5-22**
CxToFix_M (SDF block) **5-22**
CxToFloat (SDF block) **5-22**
CxToFloat_M (SDF block) **5-22**
CxToInt (CG56 block) **13-12**
CxToInt (SDF block) **5-22**
CxToRect (CG56 block) **13-11**
CxToRect (CGC block) 12-11
CxToRect (SDF block) **5-20**, *5-70*

D

data-dependent flow of control 1-6
data-dependent iteration 4-4, 7-1, 8-4
dataflow 1-6, **E-2**

BusSplit (HOF block) *6-13*, **6-15**, **6-16**
BusToNum (SDF block) **5-21**
butterfly (CGC demo) 12-15
butterfly (SDF demo) **5-47**
Butterworth filter 5-27, 5-72
buttons (DE demo) 10-29
buttons (SDF demo) **5-59**
bwDither (SDF demo) **5-56**

C

C code generation 1-6, 12-1
C++ code generation **5-62**
C_INCLUDE_PATH environment variable **A-10**
CAD frameworks 2-22
CAD group 1-12
Cadence 1-11
calendar queue scheduling 1-9, 4-5, 10-2
California MICRO program 1-10, 1-11
call-processing software 4-8
cancelAction command 3-3, 3-15
canonical direct form 5-71
cascadedBiquads (HOF demo) **6-19**
Case (DDF block) 7-9, 7-11
Case (DE star) 10-13
caseDemo (DE demo) 10-23
Cassotto, A. 1-10, 2-1, 16-1
Cathedral 4-9
CCITT Recommendation G.711 5-20
cd command 3-3, 3-13
CD Volume (CG56 S-56X demo) **13-16**
cell in vem 16-1
CellLoad (DE block) 10-19
cell-relay network 1-6, 4-8, 10-18
CellRoute (DE block) 10-19
CellToImage (DE block) 10-19
CellUnload (DE block) 10-19
cep (SDF demo) **5-53**
cepstrum 5-53
cexp (CGC galaxy) **12-8**
CG domain *11-1*, **E-1**
CG56 (Code generation for the Motorola DSP 56000) **E-1**
CG56 (Code generation for the Motorola DSP56000) **4-6**
CG56 Simulator integer file input 13-3
CG96 ..... 4-8, **E-2**
CGC
  EECS20, Introduction to Real-Time Systems. 12-22
CGC (Code generation in C) **4-5**, **4-6**, **E-2**
CGC domain 4-7, 12-1, 14-1
CG-DDF **E-2**
Chain (HOF block) 6-11, **6-18**
Chain (HOF star) *6-19*
Chang, W.-T. 1-9, 1-10, 2-1, 3-1, 6-1
change-layer, VEM 16-17
channel simulation 4-3
chaos 4-3
chaos (CGC demo) 12-15
chaos (SDF demo) **5-53**
chaoticBits (CGC demo) **12-15**
checkButton (CG56 CGC/S-56X block) **13-5**
checkButtonInt (CG56 CGC/S-56X block) **13-5**
Chen, M. J. 1-9, 4-5, 5-1
chirp (CG56 simulator demo) **13-15**
chirpplay (SDF demo) **5-54**
Chop (CGC block) **12-9**
Chop (SDF block) 5-2, **5-19**
ChopVarOffset (CG56 block) **13-10**
ChopVarOffset (CGC block) **12-9**
ChopVarOffset (SDF block) **5-19**
circles (drawing) 2-37
circuit synthesis 4-7, 14-1, 14-2
circular convolution 5-75
Class font 15-4
clear-marks command 2-7, 2-47, 2-48
click-to-focus **2-2**
Clock (DE block) 10-7, *10-24*
close-window command 2-11, 16-7
closing windows 2-4, 2-27, B-4
clustering 7-5, 8-1
cntrastEnhance (SDF demo) **5-56**
code generation **E-1**
  C++ **5-62**
  domain **E-1**
  in C 12-1
  Motorola DSP56000 13-1
codeDecode (SDF demo) **5-52**
codef (SDF block) **5-45**
code-generation 1-6
codei (SDF block) **5-45**
coefficient quantization *5-71*
Collect (CGC block) **12-10**, 12-17
color 2-52
  changing 2-38
  for data types 2-38
  palette **2-35**
  printers **2-41**, 2-51
  problems with colormap A-22
  window dump **2-42**
ColorImage (SDF demo) **5-56**
colormap A-22
Comb (CG56 block) **13-13**
command completion 16-3
commandline (CGC demo) 12-16
command-line options 2-51
comments in parameters 2-16
Communicating Processes (CP) domain 1-6, **E-2**

autocorrelation method 5-54, 5-79
auto-forks 2-46, 3-6, **E-1**
auto-regressive (AR) random processes 5-53
Average (SDF block) 5-2, **5-12**
AvgSqrErr (SDF block) **5-25**
AWGN (SDF block) **5-39**
AWGNchannel (SDF block) **5-37**

B

background execution of pigi A-18
balance equations 5-2, 7-3, 7-6
ball (CGC demo) 12-20
ballAsync (CGC demo) 12-20
Banerjea, A. 1-9, 4-5, 10-1, 10-2
BarGraph (DE block) 10-9
Bartlett 5-7
base class **E-1**
basebandEquivChannel (SDF block) **5-37**, **5-39**
basic iteration 7-4
batch mode simulation 3-1
baud-rate timing recovery 7-12
BDF (boolean dataflow) **4-4**, **E-1**
BDF domain 7-1, **8-1**
bdf-CG, target *11-3*
bdf-CGC target 12-3, 12-13
bdf-doWhile (CGC demo) 12-21
bdf-if (CGC demo) 12-21
bdfTiming (BDF demo) **8-3**
beamforming 6-20
Beep (DE block) 10-11
behavioral modeling 4-6, **E-1**
Bell Labs 1-10
Bell Northern Research (BNR) 1-11
Berkeley CAD framework 2-22
Berkeley Camera Engineering 1-12, 13-4
Bhattacharyya, S. 1-10, 5-62
biased autocorrelation estimates 5-81
Bier, J. 1-9, 1-10
Bilung Lee 5-41
bindings 2-25, 16-7
bindings command 2-11
biquad 6-19
Biquad (CG56 block) **13-13**
Biquad (SDF block) **5-27**, *5-68*, *5-76*
BISDN (broadband integrated services digital network) 10-20
bit reversed order 6-12
bit_reverse (HOF demo) **6-12**, **6-20**
Bitar, P. 1-9, 10-1
bits (SDF block) **5-8**, **5-34**
BitsToInt (CG56 block) **13-12**
BitsToInt (SDF block) **5-21**
black and white monitors 2-41, 2-51
BlackHole (CG56 block) **13-2**
BlackHole (CGC block) 12-5, 14-6
BlackHole (DE block) 10-7
BlackHole (SDF block) **5-5**
Blackman **5-7**
Blackman window 5-54
BlendImage (SDF demo) **5-56**
Block **E-1**
block **E-1**
block (DE demo) 10-28
block filtering 5-30
blockage (DE demo) 10-25
BlockAllPole (SDF block) **5-30**
BlockAllPole (SDF star) *5-53*
blockFFT (SDF star) **5-32**
BlockFIR (SDF block) **5-31**
BlockLattice (SDF block) **5-31**, *5-80*
blockname parameter 6-2
blockPredictor (SDF galaxy) **5-31**
BlockRLattice (SDF block) **5-31**, *5-80*
blockVocoder (SDF galaxy) **5-31**
blockVox (SDF demo) **5-55**
Blosim 1-2
BNR 1-11
Boolean-controlled dataflow **8-1**, 12-1, **E-1**
Bowers, R. 1-10
boxes 2-25, 16-3
broadband integrated services digital network (BISDN) 10-20
Brodersen, R. W. 1-9
broken (SDF demo) **5-49**
Brown, D. W. 4-8
Brown, R. 1-9, 4-5, 10-2
Buck, J. 12-1
Buck, J. T. 1-9, 1-12, 2-1, 3-1, 4-1, **4-4**, 5-1, 5-62, 7-1, 8-1, 10-1, 11-1, 13-1, 15-1, 17-1, A-1
buffer sizes **7-8**, 7-10
bug reports 3-22
Burg (SDF block) 5-2, **5-32**, *5-80*
burg (SDF block) **5-32**
Burg's method for power spectrum estimation 5-53, 5-54, 5-79
bus 6-3, 6-13
bus manipulation stars 6-2
busconnect command 3-3, 3-6
BusCreate (HOF block) **6-16**
BusDeinterleave (HOF block) **6-15**
Bush, B. 1-10, 16-1
BusInterleave (HOF block) **6-15**
busManipulations (HOF demo) **6-19**
BusMerge (HOF block) **6-15**
BusMerge (HOF star) *6-20*
BusMerge block 6-2
busses 5-49
busses (HOF demo) **6-21**

Index

Symbols
$PTOLEMY **E-1**
(..... 12-1
, ... 12-1, 12-8
.c troff macro **15-7**
.cshrc 2-49
.cshrc file 2-40
.emacs file A-22
.Xdefaults 2-2, 2-52
.Xdefaults file 16-2
.xinitrc file 2-2, B-2
.xsession file B-2
~ptolemy A-20

A
Abs (CG56 block) **13-7**
Abs (CGC block) **12-8**
Abs_M (SDF block) **5-25**
accelerator 2-5
ACos (CG56 block) **13-8**
actions associated with star firings 3-15
actor 5-1, **E-1**
actual parameters **2-33**
adaptFilter (CGC demo) 12-16, 12-17
adaptFilter (SDF demo) **5-52**
adaptFilter_multi (CGC demo) 12-17
adaptive differential pulse code modulation (ADPCM) 5-39, 5-54, 5-78
adaptive equalization 5-77
training sequence 5-18
adaptive estimation 10-27
adaptive filtering 4-3, 5-52
adaptive quantization 10-27
Add (CG56 block) **13-6**
Add (SDF block) **5-12**
Add_M (SDF block) **5-24**, **5-41**
AddCx (CG56 block) **13-6**
AddInt (CG56 block) **13-6**
additive Gaussian white noise 5-37, 5-52
AddMotionVecs (SDF block) **5-45**
adjustableGain (CG56 CGC/S-56X galaxy) **13-5**
adjustableGain (CG56 QDM/S-56X Block) **13-5**
adjustableGainGX (CG56 S-56X block) **13-4**
ADPCM (adaptive differential pulse code modulation) 5-54
ADPCM (CG56 S-56X demo) **13-16**
ADPCM (CGC S-56X demo) **13-17**
ADPCM speech coding 5-78
ADPCMCoder (SDF block) **5-39**
ADPCMDecoder (SDF block) **5-39**
ADPCMFromBits (SDF block) **5-39**
ADPCMToBits (SDF block) **5-39**
Advanced Research Projects Agencies 1-11
aheadLimit parameter 12-7
Air Force 1-2, 1-10
alias command 3-3, 3-6
alive (CGC demo) **12-19**
all pole filters 5-30
allowDynamic 8-2
Allpass (CG56 block) **13-12**
allPole (SDF demo) **5-53**
all-pole filters 5-53
alter-geometry, VEM 16-17
AM Transmitter (CG56 S-56X demo) **13-16**
Ammicht, E. 1-10
amplifier 5-12
amplitude modulation (AM) 5-65
analysis-synthesis filter banks 4-3
analytic (SDF demo) **5-49**
analytic signals 5-49, 5-53
animated displays 5-10
animatedLMS (CGC demo) 12-20
animatedLMS (SDF demo) **5-53**, **5-59**
animatedLMSCx (SDF demo) **5-53**, **5-59**
animation 3-11
animation command 3-3
annotated schedule 4-4, **8-1**
annotations in facets 2-44
anytype Particle type 2-20
anytype Particle type (table) 2-20
anytypeColor **2-38**
applicative language 4-8
AR (auto-regressive) random process 5-76
AR (auto-regressive) random processes 5-53
Arbitrate (DE block) 10-21
arbitrator (preemptive or nonpreemptive) 10-22
Ariel 1-12
Ariel S-56X stars, CG56 ..... **13-4**
arithmetic stars, CG56 ..... **13-6**
arithmetic stars, SDF **5-11**
ARMA process 5-76
Arnold, E. C. 4-8
ARPA 1-2, 1-10, 1-11
array 2-18
array of sensors 6-20
ASCII descriptions of a Ptolemy universe 3-22
ASin (CG56 block) **13-8**
assembly code synthesis 1-6, 4-6
asynchronous signal processing 4-4, 7-12
AT&T Bell Laboratories 1-10, 1-11, 4-8
Athena widgets 2-2, 2-13
ATM 5-50, 5-55
Autocor (SDF block) **5-34**, *5-48*, *5-81*
autocorrelation 5-48, 5-51, 5-81
autocorrelation (SDF block) **5-32**