3.1 Introduction C-1
3.2 optfir — equiripple FIR filter design C-1
3.3 wfir — window method FIR filter design C-4

Appendix D. Shared Libraries

4.1 Introduction D-1
Static Libraries D-1
Shared Libraries D-1
Differences between static and shared libraries: Unresolved symbols D-2
Differences between static and shared libraries: Pulling in stars D-2
4.2 Shared library problems D-3
Startup Time D-3
4.3 Reasons to use shared libraries D-4
4.4 Architectural Dependencies D-4
Solaris D-5
HPUX D-5
4.5 GateKeeper Error D-5

Appendix E. Glossary
References

Index

Basic Ptolemy installation A-6
The ptolemy user A-6
Installation without creating a ptolemy user A-6
Obtaining Ptolemy A-7
Special considerations for use under OpenWindows A-8
Gnu Installation A-9
Testing the Installation A-11
Rebuilding Ptolemy From Source A-12
Freeing up Disk Space A-15
Other useful software packages A-16

A.5 Troubleshooting A-17

Problems with tar files A-17
Problems starting pigi A-17
Common problems while running pigi A-20
Window system problems A-21
Problems with the compiler A-23
Problems compiling files A-26
Generated code in CGC fails to compile A-27
Ptolemy will not recompile A-28
Dynamic linking fails A-30
Dynamic linking and makefiles A-31
Path and/or environment variables not set in “debug” pigi A-32

A.6 Known bugs A-32

Bugs in vem A-32
Bugs in pigi A-33
Bugs in tycho A-33
Code generation bugs A-34
Bugs in `pxgraph` A-34
HPPA specific bugs A-34
IBM AIX specific bugs A-35
Silicon Graphics IRIX5 specific bugs A-36
Linux specific bugs A-36
Sun Solaris 2.4 specific bugs A-37
Sun OS4 specific bugs A-37
DEC Alpha specific bugs A-37
GNU compiler bugs A-38

A.7 Additional resources A-38

Appendix B. Introduction to the X Window System

2.1 A model user’s home directory B-1
2.2 Running Pigi using Sun’s Open Windows system B-1
2.3 Starting X B-2
2.4 Manipulating Windows B-3

Appendix C. Filter design programs

Special fonts and displays 15-4
15.3 Writing new sections using troff. 15-5
Basic documents 15-5
Adding new manual sections 15-6
Index entries 15-6
Special fonts and displays 15-7
Documenting stars 15-7
Documenting new galaxies and universes 15-7
Configuring your system to use the Gnu groff program 15-9

16. Vem — The Graphical Editor for Oct

16.1 Terminology 16-1
16.2 Using Dialog Boxes 16-4
16.3 General Commands 16-7
16.4 Options 16-11
16.5 Selection 16-15
16.6 Property and Bag editing. 16-17
16.7 Physical editing commands 16-17
16.8 Symbolic editing commands. 16-20
16.9 Schematic editing commands. 16-20
16.10 Remote application commands 16-22
16.11 Customizing Vem 16-23
16.12 Bugs 16-23

17. pxgraph — The Plotting Program

17.1 Introduction 17-1
17.2 Invoking xgraph 17-1
17.3 Detailed description. 17-1
17.4 Options 17-3
17.5 Bugs 17-6

Appendix A. Installation and Troubleshooting

A.1 Introduction A-1
A.2 Obtaining Ptolemy A-1
Access via the Internet A-2
Access via the World Wide Web A-2
Access via ordinary mail A-2
Obtaining documentation only A-3
A.3 Ptolemy mailing lists and the Ptolemy newsgroup. A-3
Ptolemy mailing lists A-3
Ptolemy Newsgroup A-4
A.4 Installation A-5
Location of the Ptolemy installation A-5

Arithmetic stars 13-6
Nonlinear stars 13-7
Logic stars 13-9
Control stars 13-10
Conversion stars 13-11
Signal processing stars 13-12
13.3 An overview of CG56 Demos 13-14
Basic/Test demos 13-14
Motorola Simulator Demos 13-15
S-56X Demos 13-16
CGC-S56X Demos 13-16
13.4 Targets 13-18
Default CG56 (default-CG56) target 13-18
CG56 Simulator (sim-CG56) target 13-19
Ariel S-56X (S-56X) target 13-20
CG56 Subroutine (sub-CG56) target 13-20
Multiprocessor 56k Simulator (MultiSim-56000) target 13-20

14. VHDL Domain

Setting Environment Variables 14-2
14.1 VHDL Targets 14-2
The `default-VHDL` Target 14-3
The `struct-VHDL` Target 14-3
The `SimVSS-VHDL` Target 14-4
The `SimMT-VHDL` Target 14-5
The `Synth-VHDL` Target 14-5
14.2 An Overview of VHDL Stars 14-6
Source Stars 14-7
Sink Stars 14-8
Arithmetic Stars 14-8
Nonlinear Stars 14-9
Control Stars 14-9
Conversion Stars 14-10
Signal Processing Stars 14-10
14.3 An Overview of VHDL Demos 14-11
Code Generation Demos 14-11
Simulation Demos 14-12
Synthesis Demos 14-12
Cosimulation Demos 14-13

15. Creating Documentation

15.1 Printing the manual 15-1
15.2 Using FrameMaker 15-2
Index Entries 15-3

mains 11-9
11.5 Dynamic constructs in CG domain. 11-10
Dynamic constructs as a cluster 11-11
Quasi-static scheduling of dynamic constructs 11-11
DDF-type Stars for dynamic constructs 11-12
11.6 Stars 11-13
11.7 Demos 11-15

12. CGC Domain

12.1 CGC Targets 12-1
Single-Processor Targets 12-2
Multi-Processor Targets 12-3
Setting Parameters Using Command-line Arguments 12-4
12.2 An Overview of CGC Stars 12-5
Source Stars 12-5
Sink Stars 12-7
Arithmetic Stars 12-8
Nonlinear Stars 12-8
Control Stars 12-9
Logic Stars 12-11
Conversion Stars 12-11
Signal Processing Stars 12-12
Communications Stars 12-12
BDF Stars 12-13
Tcl/Tk Stars 12-13
Higher Order Function Stars 12-14
12.3 An Overview of CGC Demos 12-14
Basic Demos 12-15
Multirate Demos 12-16
Signal Processing Demos 12-16
Multi-Processor Demos 12-17
Fixed-Point Demos 12-18
Sound-Making Demos 12-18
Tcl/Tk Demos 12-20
BDF Demos 12-21
Higher Order Function Demos 12-21
SDF-CGC Wormhole demos 12-21
EECS20 demos 12-22

13. CG56 Domain

13.1 Introduction 13-1
13.2 An overview of CG56 stars 13-1
Source stars 13-2
I/O Stars 13-3

Examples from papers by Gilles Kahn and David B. MacQueen 9-5
Examples from the Ph.D. thesis of Thomas M. Parks 9-7

10. DE Domain

10.1 Introduction 10-1
10.2 The DE target and its schedulers 10-1
Events and chronology 10-2
Event generators 10-2
Simultaneous events 10-3
Delay-free loops 10-3
Wormholes 10-4
10.3 An overview of stars in DE. 10-6
Source stars 10-7
Sink stars 10-9
Control stars 10-11
Conversion stars 10-13
Queues, servers, and delays 10-14
Timing stars 10-16
Logic stars 10-17
Networking stars 10-18
Miscellaneous stars 10-21
HOF Stars 10-22
10.4 An overview of DE demos 10-23
Basic demos 10-23
Queues, servers, and delays 10-25
Networking demos 10-26
Miscellaneous demos 10-27
Wormhole demos 10-28
Tcl/Tk Demos 10-29
HOF Demos 10-29

11. CG Domain

11.1 Introduction 11-1
11.2 Targets 11-1
default-CG 11-2
bdf-CG 11-3
FullyConnected 11-3
SharedBus 11-5
11.3 Schedulers. 11-5
Single-Processor Schedulers 11-6
Multiple-Processor Schedulers 11-7
11.4 Interfacing Issues 11-9
Interface Synthesis between Code Generation Targets 11-9
Interface Synthesis between Code Generation and Simulation Do-

6. HOF Domain

6.1 Introduction 6-1
6.2 Using the HOF domain. 6-2
The Map star and its variants 6-2
Managing multidimensional data 6-9
Other higher-order control structures 6-11
Statically evaluated recursion 6-11
Bus manipulation stars 6-13
6.3 An overview of the HOF stars 6-15
Bus manipulation stars 6-16
Map-like stars 6-16
6.4 An overview of HOF demos. 6-18
HOF demos in the SDF domain 6-18
HOF demos in the DE domain 6-20
HOF demos in the CGC domain 6-21

7. DDF Domain

7.1 Introduction 7-1
7.2 The DDF Schedulers 7-2
The default scheduler 7-4
The clustering scheduler 7-5
The fast scheduler 7-6
7.3 Inconsistency in DDF. 7-7
7.4 The default-DDF target. 7-8
7.5 An overview of DDF stars 7-9
7.6 An overview of DDF demos. 7-10
7.7 Mixing DDF with other domains 7-12

8. BDF Domain

8.1 Introduction 8-1
8.2 The default-BDF target. 8-2
8.3 An overview of BDF stars 8-2
8.4 An overview of BDF demos. 8-3

9. PN domain

9.1 Introduction 9-1
9.2 Process networks. 9-1
Dataflow process networks 9-2
Scheduling dataflow process networks 9-3
Iterations in the PN domain 9-3
9.3 Threads 9-3
9.4 An overview of PN stars 9-4
9.5 An overview of PN demos 9-5

Control stars 5-17
Conversion stars 5-20
Matrix stars 5-22
Matlab stars 5-25
Signal processing stars 5-27
Spectral analysis 5-32
Communication stars 5-34
Telecommunications 5-37
Spatial Array Processing 5-40
Image processing stars 5-41
Higher Order Function stars 5-46
User Contributions 5-46
Tcl stars 5-46

5.3 An overview of SDF demonstrations 5-47

Basic demos 5-47
Multirate demos 5-49
Communications demos 5-50
Digital signal processing demos 5-52
Sound-making demos 5-54
Image and video processing demos 5-56
Fixed-point demos 5-58
Tcl/Tk demos 5-58
Matrix demos 5-59
MATLAB Demos 5-61
HOF Demos 5-61
Scripted Runs 5-62

5.4 Targets 5-62

Default SDF target 5-62
The loop-SDF target 5-63
Compile-SDF target 5-64
SDF to PTCL target 5-66

5.5 Exercises 5-66

Modulation 5-66
Sampling and multirate 5-68
Exponential sequences, transfer functions, and convolution 5-69
Linear phase filtering 5-71
Coefficient quantization 5-72
FIR filter design 5-74
The DFT (discrete Fourier transform) 5-76
Whitening filters 5-77
Wiener filtering 5-77
Adaptive equalization 5-78
ADPCM speech coding 5-79
Spectral estimation 5-80
Lattice filters 5-82

The pigi log file pigiLog.pt 3-20
Using pigiLog.pt to build scripts 3-22
oct2ptcl 3-22

4. Introduction to Domains, Targets, and Foreign Tool Interfaces

4.1 Synchronous dataflow (SDF) 4-3
4.2 Higher-Order Functions (HOF) 4-3
4.3 Dynamic dataflow (DDF) 4-3
4.4 Boolean dataflow (BDF). 4-4
4.5 Process Network (PN) 4-4
4.6 Discrete Event (DE) 4-5
4.7 Multidimensional Synchronous Dataflow (MDSDF) 4-5
4.8 Code generation (CG) 4-5
4.9 Code generation in C (CGC) 4-6
4.10 Code generation for the Motorola DSP56000 (CG56) 4-6
4.11 Code generation in VHDL (VHDL, VHDLB) 4-6
4.12 Domains that have been removed 4-7
Circuit simulation (Thor) 4-7
Communicating processes (CP) 4-7
Message queueing (MQ) 4-8
Code generation for the Sproc multiprocessor DSP (Sproc) 4-8
Code generation for the Motorola DSP96000 (CG96) 4-8
Code generation in Silage (Silage) 4-8
Functional Code Generation in VHDL (VHDLF) 4-9
4.13 Interfaces to Foreign Tools 4-9
Specification and Layout 4-10
Parameter Calculation 4-10
Algorithm Prototyping and Visualization 4-10
Simulation 4-10
Synthesis 4-10

5. SDF Domain

5.1 Introduction 5-1
Basic dataflow terminology 5-1
Balancing production and consumption of tokens 5-2
Iterations in SDF 5-3
Inconsistency 5-3
Delays 5-4
5.2 An overview of SDF stars 5-4
Source stars 5-5
Sink stars 5-9
Arithmetic stars 5-12
Nonlinear stars 5-13
Logic stars 5-16

Netlist-style connections 3-6
Bus connections between MultiPortHoles 3-6
Connecting internal galaxy stars and galaxies to the outside 3-6
Defining parameters and states for a galaxy 3-6
Setting the value of states 3-7
Setting the number of ports to a star 3-7
Defining new galaxies 3-8
3.4 Showing the current status 3-9
Displaying the known classes 3-9
Displaying information on a the current galaxy or other class 3-9
3.5 Running the simulation 3-9
Creating a schedule 3-10
Running the simulation 3-10
Continuing a simulation 3-10
Wrapping up a simulation 3-10
Interrupting a simulation 3-10
Obtaining the stop time of the current run 3-10
Obtaining time information from the scheduler 3-11
Animating a simulation 3-11
3.6 Undoing what you have done 3-11
Resetting the interpreter 3-11
Removing a star 3-11
Removing a connection 3-11
Removing a node 3-12
3.7 Targets 3-12
What targets are available? 3-12
Changing the target 3-12
Changing target parameters 3-12
Pragmas 3-12
3.8 Miscellaneous commands 3-13
Loading commands from a file 3-13
Changing the seed of random number generation 3-13
Changing the current directory 3-13
Dynamically linking new stars 3-14
Top-level blocks 3-14
Examining states 3-15
Giving up 3-15
Getting help 3-15
Registering actions 3-15
The Interface to Matlab and Mathematica 3-15
3.9 Limitations of the interpreter 3-17
3.10 A wormhole example 3-17
3.11 Some hints on advanced uses of ptcl with pigi 3-18
Ptcl as a simulation control language for pigi 3-18

Array parameters 2-18
String Parameters 2-19
2.5 Particle types 2-20
2.6 The oct design database and its editor, vem. 2-22
2.7 Creating universes 2-23
Opening working windows 2-24
Some basic vem commands 2-25
Building an example 2-27
2.8 Using galaxies 2-31
Creating a galaxy 2-31
Using a galaxy 2-32
Galaxy and universe parameters 2-33
2.9 Editing Icons. 2-35
2.10 Sounds 2-39
2.11 Hardcopy. 2-40
Printing oct facets 2-40
Capturing a screen image 2-41
2.12 Other useful information 2-43
Plotting signals and Fourier transforms 2-43
Moving objects 2-43
Copying objects 2-43
Labeling a design 2-44
Icon orientation 2-44
Finding the names of terminals 2-44
Multiple inputs and outputs 2-45
Using delays 2-45
Auto-forking 2-46
Dealing with errors 2-48
Copying and moving designs 2-48
Environment variables 2-49
Command-line options 2-51
2.13 X Resources 2-52
2.14 Tk options 2-52
2.15 Multi-domain universes 2-53

3. ptcl: The Ptolemy Interpreter

3.1 Getting started 3-1
3.2 Global information 3-2
3.3 Commands for defining the simulation 3-2
Creating and deleting universes 3-2
Setting the domain 3-2
Creating instances of stars and galaxies 3-4
Connecting stars and galaxies 3-4

Contents

1. An Overview of Ptolemy

1.1 Introduction 1-1
1.2 History 1-2
1.3 Ptolemy Kernel 1-2
1.4 Models of Computation 1-4
1.5 Dataflow Models of Computation 1-6
1.6 Discrete-Event Models of Computation 1-6
1.7 Mixing Models of Computation 1-7
1.8 Code Generation 1-7
1.9 Conclusion 1-8
1.10 Current Directions 1-8
1.11 Organization of the documentation 1-8
1.12 Acknowledgments 1-9
Personnel 1-9
Support 1-10
Prior software 1-12

2. The Interactive Graphical Interface

2.1 Introduction 2-1
Setup 2-1
2.2 Running the Ptolemy demos 2-2
Starting Ptolemy 2-2
Exploring the menus 2-4
Traversing the hierarchy 2-5
Running a Ptolemy application 2-6
Examining schematics more closely 2-9
Invoking on-line documentation for stars 2-10
More extensive exploration of the demos 2-12
What's new 2-12
2.3 Dialog boxes 2-12
Tk control panels 2-12
Athena widget dialog boxes 2-13
2.4 Parameters and states 2-14
A note on terminology 2-14
Changing or setting parameters 2-15
Reading Parameter Values From Files 2-16
Inserting Comments in Parameters 2-16
Using Tcl Expressions in Parameters 2-17
Using Matlab and Mathematica to Compute Parameters 2-18